

TYPO3.Flow - Bug # 26879

Status:	Resolved	Priority:	Should have
Author:	Christopher Hlubek	Category:	Persistence
Created:	2011-05-18	Assigned To:	Christopher Hlubek
Updated:	2011-05-23	Due date:	
PHP Version:			
Has patch:			
Complexity:			
Affected Flow version:			
Subject:	Clone of lazy objects in generic persistence does not initialize the cloned object		
Description			
<p>With the LazyLoadingAspect on the __clone method, the object in thawProperties closure references still the original object after a clone. As a result, the cloned object is not initialized but marked as dirty and the persistence state is inconsistent.</p> <p>As a workaround, the actual proxy in the aspect should be passed to the closure to fix the wrong reference in the case of a clone.</p>			

Associated revisions

Revision f3ab9990 - 2011-05-18 17:25 - Christopher Hlubek

[BUGFIX] Persistence: Fix lazy loading with clone in generic persistence

Change-Id: I2e2cdb2e9ed309d13db0df84b396f313603deb4a

Resolves: #26879

History

#1 - 2011-05-18 17:25 - Mr. Hudson

Patch set 1 of change I2e2cdb2e9ed309d13db0df84b396f313603deb4a has been pushed to the review server.

It is available at <http://review.typo3.org/2193>

#2 - 2011-05-23 14:05 - Christopher Hlubek

- Status changed from Accepted to Resolved

- % Done changed from 0 to 100

Applied in changeset commit:f3ab9990bff7b66091ad1a118cf97dcbb454823a.