

TYPO3.Flow - Feature # 10680

Status:	Resolved	Priority:	Should have
Author:	Robert Lemke	Category:	MVC
Created:	2010-11-08	Assigned To:	Robert Lemke
Updated:	2010-11-08	Due date:	
PHP Version:			
Has patch:			
Complexity:			
Subject:	Implement Content Negotiation Support		
Description			
There is now a use case for content negotiation in FLOW3:			
For most requests, content negotiation based on the Accept HTTP header does not make sense because most browsers don't send meaningful information in them (some browsers for example say that they prefer "XML" over "HTML" which the user of course doesn't). However, for REST services it is a handy feature to control the output format by sending a respective Accept header. In some cases this might even be the only way to control the format, for example how else would you GET a resource "http://myhost/customers/" in different formats?			
A proper implementation could work like this:			
<ul style="list-style-type: none">- if a format is defined through a @format property in the matching route, this format is used- if no format has been defined by the route, the Accept header will be analyzed and compared with a list of supported formats by the controller. If another format than "HTML" is accepted by the client and the controller supports it, this format is chosen. If no other accepted format matches the supported formats, HTML is used.			
Related issues:			
related to TYPO3.Flow - Feature # 315: Add "format" support to the Request ob...		Resolved	2008-02-15
related to TYPO3.Flow - Feature # 37561: Re-implement Accept Header / Content...		Resolved	2012-05-29

Associated revisions

Revision ec2b14d3 - 2010-11-08 22:24 - Robert Lemke

[+FEATURE] FLOW3 (MVC): Content Negotiation support in ActionController

This adds support for content negotiation based on the Accept HTTP header.

If a format other than "html" is accepted by the client and the format is listed in a controller's "supportedFormats" array, this format is chosen.

If a format has been explicitly defined through a @format property of the current route, that format is used instead.

In any other case "html" is used for web requests and "txt" for command line requests respectively.

Resolves: #10680

Resolves: #10681

Relates to: #9475

Change-Id: I9385a7284433ef9d741e96593bdbe1c0a3060daa

History

#1 - 2010-11-08 22:30 - Robert Lemke

- *Status changed from Accepted to Resolved*

- *% Done changed from 0 to 100*

Applied in changeset commit:"ec2b14d3518c3b9680b3145640a07dcd7cd7226b".