

DEV3 - Bug # 1245

Status:	New	Priority:	Must have
Author:	Robert Lemke	Category:	TYPO3 4.x TypoScript Editor
Created:	2008-08-07	Assigned To:	Sebastian Böttger
Updated:	2010-10-20	Due date:	
Subject:	TypoScript Editor / Mac: Unsupported Class Version Error		
Description	<p>With DEV Version 1.0.2 I get the following error when trying to open a .ts file on my Mac:</p> <pre>!ENTRY org.eclipse.ui 4 0 2008-08-07 15:28:10.114 !MESSAGE Unable to create editor ID com.crosscontent.typo34.editor.Typo34Editor: The editor class could not be instantiated. This usually indicates that the editor's class name was mistyped in plugin.xml. !STACK 0 java.lang.UnsupportedClassVersionError: Bad version number in .class file at java.lang.ClassLoader.defineClass1(Native Method) at java.lang.ClassLoader.defineClass(ClassLoader.java:675) at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.defineClass(DefaultClassLoader.java:161) at org.eclipse.osgi.baseadaptor.loader.ClasspathManager.defineClass(ClasspathManager.java:501) at org.eclipse.osgi.baseadaptor.loader.ClasspathManager.findClassImpl(ClasspathManager.java:471) at org.eclipse.osgi.baseadaptor.loader.ClasspathManager.findLocalClassImpl(ClasspathManager.java:430) at org.eclipse.osgi.baseadaptor.loader.ClasspathManager.findLocalClass(ClasspathManager.java:413) at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.findLocalClass(DefaultClassLoader.java:189) at org.eclipse.osgi.framework.internal.core.BundleLoader.findLocalClass(BundleLoader.java:340) at org.eclipse.osgi.framework.internal.core.BundleLoader.findClassInternal(BundleLoader.java:408) at org.eclipse.osgi.framework.internal.core.BundleLoader.findClass(BundleLoader.java:369) at org.eclipse.osgi.framework.internal.core.BundleLoader.findClass(BundleLoader.java:357) at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.loadClass(DefaultClassLoader.java:83) at java.lang.ClassLoader.loadClass(ClassLoader.java:251) at org.eclipse.osgi.framework.internal.core.BundleLoader.loadClass(BundleLoader.java:289) at org.eclipse.osgi.framework.internal.core.BundleHost.loadClass(BundleHost.java:227) at org.eclipse.osgi.framework.internal.core.AbstractBundle.loadClass(AbstractBundle.java:1269) at org.eclipse.core.internal.registry.osgi.RegistryStrategyOSGI.createExecutableExtension(RegistryStrategyOSGI.java:160) at org.eclipse.core.internal.registry.ExtensionRegistry.createExecutableExtension(ExtensionRegistry.java:788) at org.eclipse.core.internal.registry.ConfigurationElement.createExecutableExtension(ConfigurationElement.java:243) at org.eclipse.core.internal.registry.ConfigurationElementHandle.createExecutableExtension(ConfigurationElementHandle.java:51) at org.eclipse.ui.internal.WorkbenchPlugin\$1.run(WorkbenchPlugin.java:252) at org.eclipse.swt.custom.BusyIndicator.showWhile(BusyIndicator.java:67) at org.eclipse.ui.internal.WorkbenchPlugin.createExtension(WorkbenchPlugin.java:248) at org.eclipse.ui.internal.registry.EditorDescriptor.createEditor(EditorDescriptor.java:231) at org.eclipse.ui.internal.EditorManager.createPart(EditorManager.java:841) at org.eclipse.ui.internal.EditorReference.createPartHelper(EditorReference.java:606) at org.eclipse.ui.internal.EditorReference.createPart(EditorReference.java:426) at org.eclipse.ui.internal.WorkbenchPartReference.getPart(WorkbenchPartReference.java:592) at org.eclipse.ui.internal.EditorReference.getEditor(EditorReference.java:263) at org.eclipse.ui.internal.WorkbenchPage.busyOpenEditorBatched(WorkbenchPage.java:2739) at org.eclipse.ui.internal.WorkbenchPage.busyOpenEditor(WorkbenchPage.java:2651) at org.eclipse.ui.internal.WorkbenchPage.access\$13(WorkbenchPage.java:2643) at org.eclipse.ui.internal.WorkbenchPage\$10.run(WorkbenchPage.java:2595) at org.eclipse.swt.custom.BusyIndicator.showWhile(BusyIndicator.java:67) at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2590)</pre>		

```
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2574)
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2565)
at org.eclipse.ui.ide.IDE.openEditor(IDE.java:644)
at org.eclipse.ui.ide.IDE.openEditor(IDE.java:603)
at org.eclipse.ui.wizards.newresource.BasicNewFileResourceWizard.performFinish(BasicNewFileResourceWizard.java:101)
at org.eclipse.jface.wizard.WizardDialog.finishPressed(WizardDialog.java:742)
at org.eclipse.jface.wizard.WizardDialog.buttonPressed(WizardDialog.java:373)
at org.eclipse.jface.dialogs.Dialog$2.widgetSelected(Dialog.java:618)
at org.eclipse.swt.widgets.TypedListener.handleEvent(TypedListener.java:227)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:66)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1495)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1519)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1504)
at org.eclipse.swt.widgets.Widget.notifyListeners(Widget.java:1295)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3350)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:2950)
at org.eclipse.jface.window.Window.runEventLoop(Window.java:820)
at org.eclipse.jface.window.Window.open(Window.java:796)
at org.eclipse.ui.actions.NewWizardAction.run(NewWizardAction.java:182)
at org.eclipse.jface.action.Action.runWithEvent(Action.java:498)
at org.eclipse.jface.action.ActionContributionItem.handleWidgetSelection(ActionContributionItem.java:546)
at org.eclipse.jface.action.ActionContributionItem.access$2(ActionContributionItem.java:490)
at org.eclipse.jface.action.ActionContributionItem$5.handleEvent(ActionContributionItem.java:402)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:66)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1495)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1519)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1504)
at org.eclipse.swt.widgets.Widget.notifyListeners(Widget.java:1295)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3350)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:2950)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2389)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2353)
at org.eclipse.ui.internal.Workbench.access$4(Workbench.java:2219)
at org.eclipse.ui.internal.Workbench$4.run(Workbench.java:466)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:289)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:461)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.eclipse.ui.internal.ide.application.IDEApplication.start(IDEApplication.java:106)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:169)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:106)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:76)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:363)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:176)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:508)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:447)
at org.eclipse.equinox.launcher.Main.run(Main.java:1173)
```

History

#1 - 2008-08-07 16:24 - David Bruehlmeier

- Category changed from TypoScript 2.0 Editor to TYPO3 4.x TypoScript Editor

- Assigned To changed from David Bruehlmeier to Sebastian Böttger

- Target version deleted (1.0)

.ts files are opened by the TypoScript 1.0 editor.

The editor for TypoScript 2.0 is opened for .ts2 files.

Therefore, I changed the category and assigned this issue to Sebastian.

#2 - 2009-07-23 10:35 - Stefan Busemann

Can confirm this issue at my mac with pdt 2.1 and eclipse 3.5

#3 - 2009-10-21 11:30 - Fedir RYKHTIK

Confirmation for Mac Leopard 10.5.8 + Eclipse 3.5.1 PDT

Installation was made via the update link of dev3.org

```
java.lang.UnsupportedClassVersionError: Bad version number in .class file
    at java.lang.ClassLoader.defineClass1(Native Method)
    at java.lang.ClassLoader.defineClass(ClassLoader.java:675)
    at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.defineClass(DefaultClassLoader.java:183)
    at org.eclipse.osgi.baseadaptor.loader.ClasspathManager.defineClass(ClasspathManager.java:576)
    at org.eclipse.osgi.baseadaptor.loader.ClasspathManager.findClassImpl(ClasspathManager.java:546)
    at org.eclipse.osgi.baseadaptor.loader.ClasspathManager.findLocalClassImpl(ClasspathManager.java:477)
    at org.eclipse.osgi.baseadaptor.loader.ClasspathManager.findLocalClass_LockClassLoader(ClasspathManager.java:465)
    at org.eclipse.osgi.baseadaptor.loader.ClasspathManager.findLocalClass(ClasspathManager.java:445)
    at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.findLocalClass(DefaultClassLoader.java:211)
    at org.eclipse.osgi.internal.loader.BundleLoader.findLocalClass(BundleLoader.java:381)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClassInternal(BundleLoader.java:457)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:410)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:398)
    at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.loadClass(DefaultClassLoader.java:105)
    at java.lang.ClassLoader.loadClass(ClassLoader.java:251)
    at org.eclipse.osgi.internal.loader.BundleLoader.loadClass(BundleLoader.java:326)
    at org.eclipse.osgi.framework.internal.core.BundleHost.loadClass(BundleHost.java:231)
    at org.eclipse.osgi.framework.internal.core.AbstractBundle.loadClass(AbstractBundle.java:1193)
    at org.eclipse.core.internal.registry.osgi.RegistryStrategyOSGI.createExecutableExtension(RegistryStrategyOSGI.java:160)
    at org.eclipse.core.internal.registry.ExtensionRegistry.createExecutableExtension(ExtensionRegistry.java:874)
    at org.eclipse.core.internal.registry.ConfigurationElement.createExecutableExtension(ConfigurationElement.java:243)
    at org.eclipse.core.internal.registry.ConfigurationElementHandle.createExecutableExtension(ConfigurationElementHandle.java:51)
    at org.eclipse.ui.internal.WorkbenchPlugin$1.run(WorkbenchPlugin.java:267)
    at org.eclipse.swt.custom.BusyIndicator.showWhile(BusyIndicator.java:70)
    at org.eclipse.ui.internal.WorkbenchPlugin.createExtension(WorkbenchPlugin.java:263)
    at org.eclipse.ui.internal.registry.EditorDescriptor.createEditor(EditorDescriptor.java:235)
    at org.eclipse.ui.internal.EditorManager.createPart(EditorManager.java:845)
    at org.eclipse.ui.internal.EditorReference.createPartHelper(EditorReference.java:606)
    at org.eclipse.ui.internal.EditorReference.createPart(EditorReference.java:462)
```

at org.eclipse.ui.internal.WorkbenchPartReference.getPart(WorkbenchPartReference.java:595)
at org.eclipse.ui.internal.EditorReference.getEditor(EditorReference.java:286)
at org.eclipse.ui.internal.WorkbenchPage.busyOpenEditorBatched(WorkbenchPage.java:2857)
at org.eclipse.ui.internal.WorkbenchPage.busyOpenEditor(WorkbenchPage.java:2762)
at org.eclipse.ui.internal.WorkbenchPage.access\$11(WorkbenchPage.java:2754)
at org.eclipse.ui.internal.WorkbenchPage\$10.run(WorkbenchPage.java:2705)
at org.eclipse.swt.custom.BusyIndicator.showWhile(BusyIndicator.java:70)
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2701)
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2685)
at org.eclipse.ui.actions.OpenWithMenu.openEditor(OpenWithMenu.java:344)
at org.eclipse.ui.actions.OpenWithMenu\$3.handleEvent(OpenWithMenu.java:228)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Display.sendEvent(Display.java:3543)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1250)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1273)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1258)
at org.eclipse.swt.widgets.Widget.notifyListeners(Widget.java:1079)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3441)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3100)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2405)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2369)
at org.eclipse.ui.internal.Workbench.access\$4(Workbench.java:2221)
at org.eclipse.ui.internal.Workbench\$5.run(Workbench.java:500)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:493)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.eclipse.ui.internal.ide.application.IDEApplication.start(IDEApplication.java:113)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:194)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:368)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:592)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:559)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:514)
at org.eclipse.equinox.launcher.Main.run(Main.java:1311)