

## TYPO3.Fluid - Bug # 13045

<b>Status:</b>	New	<b>Priority:</b>	Should have
<b>Author:</b>	Armin Ruediger Vieweg	<b>Category:</b>	
<b>Created:</b>	2011-02-15	<b>Assigned To:</b>	
<b>Updated:</b>	2011-10-21	<b>Due date:</b>	
<b>Has patch:</b>			
<b>Affected Flow version:</b> FLOW3 1.0.0			
<b>Subject:</b> Entity decode of strings are different between if-conditions and output of variable			
<b>Description</b>			
<p>If I assign the following to a variable:</p> <pre>&lt;ul class="csc-menu csc-menu-3"&gt;&lt;li class="csc-section"&gt;</pre>			
<p>And want to work with this string in an own viewhelper, I have to <code>html_entity_decode</code> it. If I not do this, the submitted string depends where I call the viewhelper.</p>			
<b>Fluid-Template Example 1:</b>			
<pre>Cool String: {own:viewhelper subject='{variables}'}</pre>			
<p>My viewhelper gets the subject: <code>&lt;ul class=" ..."</code> as expected.</p>			
<b>Fluid-Template Example 2:</b>			
<pre>&lt;f:if condition="{own:viewhelper subject='{variables}'}"&gt; &lt;f:then&gt; ... </pre>			
<p><i>Note: My viewhelper counts some html tags in the string and returns an integer.</i></p>			
<p>The given subject is now: <code>&lt;ul class=" ..."</code></p>			
<p>This is generally no big problem, but it is a little bit inconsistent and not documented.</p>			
<p>Kind Regards</p>			

### History

#1 - 2011-10-21 13:37 - Karsten Dambekalns

- Affected Flow version set to FLOW3 1.0.0