

## Core - Bug # 18855

<b>Status:</b>	Closed	<b>Priority:</b>	Should have
<b>Author:</b>	Peter Niederlag	<b>Category:</b>	
<b>Created:</b>	2008-05-26	<b>Assigned To:</b>	Oliver Hader
<b>Updated:</b>	2008-10-29	<b>Due date:</b>	
<b>TYPO3 Version:</b>	4.2		
<b>PHP Version:</b>	5.2		
<b>Complexity:</b>			
<b>Is Regression:</b>			
<b>Sprint Focus:</b>			
<b>Subject:</b>	Wrong JavaScript inclusion in t3lib_TCEforms		
<b>Description</b>			
the handling of adding js-stuff in tceforms seems broken to me. ;(			
prototype.js is added twice by default :-<			
please see my comments in the supplied tceforms-comments.diff..			
(issue imported from #M8518)			
<b>Related issues:</b>			
related to Core - Bug # 19429: Cannot enter double numbers in TCEforms anymore		<b>Closed</b>	<b>2008-10-07</b>
related to Core - Bug # 19423: Edit in Rich Text Editor - Button doesn't work...		<b>Resolved</b>	<b>2008-10-06</b>
related to Core - Bug # 19421: Setting password for a new BE user changes the...		<b>Closed</b>	<b>2008-10-06</b>
related to Core - Bug # 19496: Flexform sections are not working anymore sinc...		<b>Closed</b>	<b>2008-10-22</b>

### History

#### #1 - 2008-05-26 18:17 - Oliver Hader

Tasks:

- use `$GLOBALS['TBE_TEMPLATE']->loadJavascriptLib([filename])` to include JavaScript sources (prototype, script.aculo.us and TBE\_EDITOR) in the constructor of `t3lib_TCEforms`
- remove inclusion of `prototype.js` from `alt_doc.php`

Later:

- remove (again) static JavaScript from `t3lib_TCEforms::JSbottom()`

#### #2 - 2008-05-28 11:13 - Benjamin Mack

Yes. Full ACK.

Never include prototype manually. Should definitively be something for 4.2.1.

#### #3 - 2008-05-28 11:21 - Benjamin Mack

I did a quick hack using these function, but haven't tested that yet.

The real solution would be to change the `"loadJavascriptLib()"` to see if it is not just loaded in the local document, but also not loaded in the `$GLOBALS[TBE_TEMPLATE]->Jslibs` array. sounds good?

**#4 - 2008-07-12 11:58 - Oliver Hader**

Thanks Benni, I changed your patch in one thing in alt\_doc.php:

We have in alt\_doc.php the class member \$doc which gets an instance of "template" and additionally we have another instance in \$GLOBALS['TBE\_TEMPLATE'] - now \$doc is a reference to the global template object. I currently cannot see any negative side-effects of that and also don't know why this once was separated.

Maybe this behaviour on different template instances could also be solved by a singleton pattern in general.

However, the patch now works with latest Trunk revision - if also tested it with some IRRE functionalities.

@Peter: The libs are now included in the HTML HEAD node, thus you can now add data again to t3lib\_TCEforms->additionalJS\_post.

**#5 - 2008-07-19 12:04 - Peter Niederlag**

concerning the conditional statement within 'if (\$this->inline->inlineCount) {':

We don't need sriptaculous there!, it is already included in that branch just a couple of lines above. I don't see any sense in adding it again.

**#6 - 2008-07-27 18:41 - Oliver Hader**

Hi Peter, I just changed Benni's patch to work with current Trunk.

You're right, that needs not to be defined twice - however it it's only added once with the loadJavascriptLib() function. Loading the scriptaculous libs outside the "inline" block, was introduced by Kasper during 4.2 development - I don't know if it's really required for the flexform sections...

<http://forge.typo3.org/repositories/diff/typo3v4-core?rev=2628>

**#7 - 2008-09-28 21:55 - Oliver Hader**

Committed to SVN:

- TYPO3\_4-2 (rev. 4256)
- Trunk (rev. 4257)

**#8 - 2008-10-06 16:05 - Stanislas Rolland**

Since revisions 4256/57, the Full Screen RTE wizard fails on js error: TBE\_EDITOR is not defined.

**#9 - 2008-10-14 19:36 - Oliver Hader**

The fix of the introduced bug will be handled in issue #19423

**#10 - 2008-10-22 15:31 - Peter Niederlag**

Hi Olli,

-----  
\$this->loadJavascriptLib('contrib/scriptaculous/scriptaculous.js');  
-----

is required for flexform sections to work. They are broken now. :-<

My suggestion would be to just move that line from the 'if (\$this->inline->inlineCount) {' block to the gernal block.

I'll attach a patch in a second

#11 - 2008-10-22 16:39 - Oliver Hader

The inclusion of scriptaculous should stay where it is.  
But, additionally, when flexform sections are rendered/required, the same line of should be called there:  
\$this->loadJavascriptLib('contrib/scriptaculous/scriptaculous.js');

Additionally I'm going to create a new bug report for this issue.

#12 - 2008-10-23 21:42 - Ralf Seliger

This issue is NOT fixed in 4.2.2.

#13 - 2008-10-24 00:48 - Oliver Hader

Ralf, that depends on which "issue" you're talking about. The initial one WAS.  
See fixes for side-effects in the relationships of this report or create a new report if you experienced others.

Files			
tceforms-comments.diff	1.3 kB	2008-05-26	Administrator Admin
20080528_tceforms_use_jsinclusion.patch	2.4 kB	2008-05-28	Administrator Admin
0008518_v2.patch	2.9 kB	2008-07-12	Administrator Admin
patch-sections-8518.patch	697 Bytes	2008-10-22	Administrator Admin