

## Core - Bug # 19565

<b>Status:</b>	Closed	<b>Priority:</b>	Must have
<b>Author:</b>	Dmitry Dulepov	<b>Category:</b>	
<b>Created:</b>	2008-11-04	<b>Assigned To:</b>	Christian Kuhn
<b>Updated:</b>	2010-07-02	<b>Due date:</b>	
<b>TYPO3 Version:</b>	4.3		
<b>PHP Version:</b>	5.2		
<b>Complexity:</b>			
<b>Is Regression:</b>			
<b>Sprint Focus:</b>			
<b>Subject:</b>	Ship optimal TYPO3 configuration by default		
<b>Description</b>			
<p>By default TYPO3 comes with unoptimal configuration due to the bugfix #16971. It is time to change it to optimal. If some installation disable mod_rewrite, it is not a reason to ship badly optimized installation to the rest of the world.</p> <p>To make optimal configuration, rename the following files from <code>_.htaccess</code> to <code>.htaccess</code> in the TYPO3 core:</p> <ul style="list-style-type: none"><li><code>./typo3/contrib/_.htaccess</code></li><li><code>./typo3/gfx/_.htaccess</code></li><li><code>./typo3/mod/user/ws/_.htaccess</code></li><li><code>./typo3/sysex/_.htaccess</code></li><li><code>./typo3/sysex/t3skin/stylesheets/_.htaccess</code></li></ul> <p>(issue imported from #M9729)</p>			
<b>Related issues:</b>			
related to Core - Bug # 16971: <code>_.htaccess</code> in sysex fails in some apache config...		<b>Closed</b>	<b>2007-02-10</b>
related to Core - Bug # 19376: Loading the backend takes more than 70 HTTP re...		<b>Resolved</b>	<b>2008-09-25</b>
related to Core - Bug # 19564: Improve performance of Prototype, Scriptaculous...		<b>Closed</b>	<b>2008-11-04</b>

### History

#### #1 - 2009-01-15 10:31 - Michiel Roos

Inform users of TYPO3! . .

<http://httpd.apache.org/docs/2.2/howto/htaccess.html#when>

. . . that reading of `.htaccess` files is slow. Apache needs to traverse the complete file tree from the request path up to the web root to see if there are any `.htaccess` files present. If there are it needs to read all of them.

You can disable `.htaccess` files in Apache config:

`AllowOverride None`

Please find my configs for inclusion in my vhosts attached.

There is one for replacement of the `.htaccess` files and one for rewrite rules.

All the configs are wrapped in `<IfModule>`.

Just my 2 cents

2015-08-04

:~)

**#2 - 2009-01-15 10:48 - Michiel Roos**

Just remember that mnogosearch may expect certain things set up a bit differently from this config.

I cannot remember what though.

Also, the static file cache config can be taken out of the rewrite file.

**#3 - 2009-02-11 09:00 - Dmitry Dulepov**

<q>

that reading of .htaccess files is slow. Apache needs to traverse the complete file tree from the request path up to the web root to see if there are any .htaccess files present. If there are it needs to read all of them.

</q>

Did you make measures? These files will be in the file system cache, so they will not be read every time. Even if they were, network delays are much longer than file reading.

**#4 - 2010-03-11 10:33 - Henrik Ziegenhain**

I think this issue could be closed.

4.3.x is shipped with the correctly named .htaccess files.

**#5 - 2010-03-12 18:50 - Christian Kuhn**

Resolved, fixed.

This was committed by Dmitry with revision 5027

**Files**

typo3-tweaks.conf	3.8 kB	2009-01-15	Administrator Admin
typo3-rewrite-staticfilecache.conf	2.9 kB	2009-01-15	Administrator Admin