

Core - Bug # 19874

| | | | |
|--|--|---------------------|----------------|
| Status: | Resolved | Priority: | Should have |
| Author: | Daniel Hahler | Category: | Communication |
| Created: | 2009-01-21 | Assigned To: | Michael Stucki |
| Updated: | 2009-01-22 | Due date: | |
| TYPO3 Version: | 4.1 | | |
| PHP Version: | 5.1 | | |
| Complexity: | | | |
| Is Regression: | | | |
| Sprint Focus: | | | |
| Subject: | Typo3 4.1.8: fe_session_data regression due to session fixation (bug 10146) | | |
| Description | <p>In bug 10146 (which I cannot access, but is referenced in the changelog), session fixation has been fixed, so that a new session ID gets generated on each request, if there is no user logged in (the new <code>isExistingSessionRecord</code> checks for this).</p> <p>However, this renders the <code>fe_session_data</code> table (through <code>\$fe_user::setKey('ses', ..)</code>) for anonymous visitors useless: as long as you're not authenticated you'll get a new Session ID on each request and therefore any data stored in the session is lost.</p> <p>I think the fix might be to expand the <code>isExistingSessionRecord</code> method to also look for entries with the current session ID in <code>fe_session_data</code> (instead of only <code>fe_sessions</code>).</p> <p>This has been reported to fail with 4.2.4, too. (issue imported from #M10211)</p> | | |
| Related issues: | | | |
| related to Core - Bug # 19831: Session fixation vulnerability in user authent... | Resolved | 2009-01-15 | |
| duplicates Core - Bug # 19867: DB session records are only created when users... | Resolved | 2009-01-20 | |

History
