

## Core - Bug # 21496

<b>Status:</b>	Closed	<b>Priority:</b>	Should have		
<b>Author:</b>	Steffen Gebert	<b>Category:</b>			
<b>Created:</b>	2009-11-08	<b>Assigned To:</b>	Steffen Kamper		
<b>Updated:</b>	2010-08-06	<b>Due date:</b>			
<b>TYPO3 Version:</b>	4.3				
<b>PHP Version:</b>	5.2				
<b>Complexity:</b>					
<b>Is Regression:</b>					
<b>Sprint Focus:</b>					
<b>Subject:</b>	Log usage of XLLfile to deprecation log				
<b>Description</b>					
<p>With #20955 a new feature to override LL files has been added.</p> <p>So the old way, which works only for BE, isn't needed anymore - and already marked as deprecated in some places, but not everywhere.</p> <p>Mark it as deprecated everywhere and log usage to deprecation log.</p> <p>(issue imported from #M12508)</p>					

### History

#### #1 - 2009-11-08 22:48 - Steffen Gebert

Second patch updates feeditadvanced to use the new way.

#### #2 - 2009-11-23 16:47 - Steffen Kamper

committed to trunk, rev 6498

### Files

12508.diff	4.5 kB	2009-11-08	Administrator Admin
12508_feeditadvanced.diff	1.2 kB	2009-11-08	Administrator Admin