

Core - Bug # 23008

Status:	Closed	Priority:	Should have		
Author:	Jigal van Hemert	Category:			
Created:	2010-06-26	Assigned To:	Susanne Moog		
Updated:	2013-09-17	Due date:			
TYPO3 Version:	4.4				
PHP Version:	5.3				
Complexity:					
Is Regression:	No				
Sprint Focus:					
Subject:	getSpriteIconForRecord() accepts row data which is not an array				
Description					
<p>t3lib_iconWorks::getSpriteIconForRecord() has as second parameter the data row for which the icon must be found.</p> <p>If an integer is passed as argument this is not detected and various actions inside the function result in a wrong icon/overlay being returned.</p> <p>By forcing the argument to be an array the results are correct.</p> <p>(issue imported from #M14880)</p>					
Related issues:					
related to Core - Bug # 23306: DB browser is unusable		Closed	2010-07-29		
related to Core - Bug # 22963: Sprite API: Still a wrong icon		Closed	2010-06-22		
related to Core - Bug # 23455: PHP Catchable Fatal on table 'be_users' during...		Closed	2010-08-26		

History

#1 - 2010-07-05 21:26 - Susanne Moog

rev 8098, 8099

#2 - 2013-09-17 17:39 - Ernesto Baschny

- Target version deleted (0)
- Is Regression set to No

To add some info to this old issue:

The method getSpriteIconForRecord was introduced with 4.4.0.

The change of signature from this issue was introduced in 4.4.1 and 4.5.0. So only "4.4.0" (and some early alpha/beta releases) ever had this method with a "wrong signature".

Files

iconworks.diff	644 Bytes	2010-06-26	Administrator Admin
----------------	-----------	------------	---------------------