

Core - Bug # 27950

Status:	Closed	Priority:	Must have			
Author:	Björn Pedersen	Category:	Default			
Created:	2011-07-07	Assigned To:				
Updated:	2011-07-14	Due date:				
TYPO3 Version:	4.6					
PHP Version:						
Complexity:						
Is Regression:						
Sprint Focus:						
Subject:	l10n: localizations in extension llxml-files are not respected					
Description	<p>If you have more then one language in an extension llxml-file, only the default language is used. This results in wrong labels.</p> <p>I tracked it down to this code in tx_lang_parser_llxml.php:</p> <pre>public function getParsedTargetData(\$path) { if (!isset(\$this->parsedTargetFiles[\$path])) { \$this->parsedTargetFiles[\$path] = \$this->parseXmlTargetFile(\$path); } return \$this->parsedTargetFiles[\$path]; }</pre> <p>In this use case, \$path is &lt;extpath&gt;/locallang.xml for both default language and additional languages.</p> <p>A workaround is to move the labels to a file in typo3conf/l10n as the language packs from translation server do.</p>					
Related issues:	<table><tr><td>duplicates Core - Bug # 27972: LLXML Parser does not support localized label ...</td><td>Closed</td><td>2011-07-08</td></tr></table>			duplicates Core - Bug # 27972: LLXML Parser does not support localized label ...	Closed	2011-07-08
duplicates Core - Bug # 27972: LLXML Parser does not support localized label ...	Closed	2011-07-08				

History

#1 - 2011-07-07 15:35 - Björn Pedersen

Extension for test:

tx_frm2newpm (in the repository)

#2 - 2011-07-08 08:42 - Björn Pedersen

<https://review.typo3.org/#change,3119>

#3 - 2011-07-14 11:46 - Björn Pedersen

fixed in master now. See <http://forge.typo3.org/issues/27972>

#4 - 2011-07-14 11:54 - Xavier Perseguers

- Status changed from New to Closed