TYPO3.Flow - Feature # 29972

Status:	Under Review	Priority:	Should have
Author:	Bastian Waidelich	Category:	MVC - Routing
Created:	2011-09-18	Assigned To:	Tim Kandel
Updated:	2013-10-02	Due date:	
PHP Version:			
Has patch:	No		
Complexity:			
Subject:	Configurable Redirects		
Description			
statusCode and po Before a request is	ossibly counter and host . matched to package, controller and		ourceUri, destinationUri, hasMoved
statusCode and po Before a request is	ossibly counter and host.		
statusCode and po Before a request is	ossibly counter and host . matched to package, controller and		
statusCode and po Before a request is respective redirect Related issues:	ossibly counter and host . matched to package, controller and	action, the router should check	
statusCode and po Before a request is respective redirect Related issues: related to TYPO3.Flor	ossibly counter and host . matched to package, controller and headers if that's the case.	action, the router should check	if a redirect is configured and return the
statusCode and po Before a request is respective redirect Related issues: related to TYPO3.Flor related to TYPO3.Flor	ossibly counter and host . matched to package, controller and headers if that's the case. w - Feature # 8736: Implement generic lo	dentity RoutePartH	if a redirect is configured and return the Resolved

[FEATURE] Add tagging to router cache

This adjusts the RouterCachingService to tag every Routing cache entry with any UUID the routeValues/matchResult contain.

This will make it possible to flush caches only for affected entities.

Change-ld: I917524542b4051a4c29792eeed330a793c47e677 Releases: master Related: #29972

History

#1 - 2011-09-20 14:01 - Bastian Waidelich

Additional idea:

ObjectPathMappings can be marked obsolet (triggered when an affected object is changed for instance)

Whenever the IdentityRoutePart comes across an obsolete mapping while **resolving** an URI, the path segment will be recreated and - if it's different to the one in the repository - a redirect is created.

If an obsolete mapping is found during matching of an URI, the mapping is removed and a redirect with status "gone" created.

#2 - 2011-09-21 11:52 - Bastian Waidelich

- Target version deleted (1.0.0)

#3 - 2012-01-25 17:58 - Bastian Waidelich

- Category changed from Object to MVC - Routing

- Has patch set to No

#4 - 2012-11-08 08:41 - Bastian Waidelich

Bastian Waidelich wrote:

ObjectPathMappings can be marked obsolet (triggered when an affected object is changed for instance)

For that we could introduce some new annotation that triggers an AOP aspect which updates related ObjectPathMapping records whenever **all** or **specific properties** of an object change

#5 - 2013-10-01 17:18 - Gerrit Code Review

- Status changed from Accepted to Under Review

Patch set 1 for branch **master** has been pushed to the review server. It is available at <u>https://review.typo3.org/24223</u>

#6 - 2013-10-01 17:27 - Tim Kandel

- Assigned To changed from Bastian Waidelich to Tim Kandel

#7 - 2013-10-02 15:43 - Gerrit Code Review

Patch set 2 for branch **master** has been pushed to the review server. It is available at <u>https://review.typo3.org/24223</u>