

TYPO3 Flow Base Distribution - Task # 30857

Status:	Resolved	Priority:	Should have
Author:	Rens Admiraal	Category:	
Created:	2011-10-12	Assigned To:	Rens Admiraal
Updated:	2011-10-21	Due date:	
Subject:	Set the RewriteBase configuration in the .htaccess by default		
Description			
<p>Apache server does not allow modules to reconfigure the DOCUMENT_ROOT, this can cause problems with mod_rewrite, and will cause problems with mod_vhost_alias.</p> <p>This is fixed in a recent commit of apache, but can still affect a lot of installations. AFAIK it does not hurt to set the RewriteBase directive by default, so it might be worth to set it.</p> <p>Apache commit which fixes this in apache: http://svn.apache.org/viewvc?view=revision&#38;revision=1132494</p>			

Associated revisions

Revision ab61da44 - 2011-10-12 20:16 - Rens Admiraal

[TASK] Enable RewriteBase configuration by default

By enabling the RewriteBase / by default the .htaccess configuration works by default on VirtualHost configurations with a DocumentRoot direction (default) and VirtualDocumentRoot directive (mod_vhost_alias).

Tested on MacOSX with apache, please also test on other configurations before publishing.

Resolves: #30857

Change-Id: I41a3c7571050fdd695ca4d801c2143c8c8543247

History

#1 - 2011-10-12 20:17 - Mr. Hudson

Patch set 1 of change I41a3c7571050fdd695ca4d801c2143c8c8543247 has been pushed to the review server.

It is available at <http://review.typo3.org/5746>

#2 - 2011-10-21 13:39 - Karsten Dambekalns

- Status changed from New to Resolved

- % Done changed from 0 to 100

It's included in 1.0.0, says Gerrit... :)