

TYPO3.Flow - Bug # 32552

Status:	Resolved	Priority:	Must have
Author:	Bastian Waidelich	Category:	Package
Created:	2011-12-14	Assigned To:	Robert Lemke
Updated:	2011-12-19	Due date:	
PHP Version:			
Has patch:	No		
Complexity:			
Affected Flow version: Git master			
Subject:	PackageStates are saved on each request		
Description			
\TYPO3\FLOW3\Package\PackageManager::initialize() always invokes loadPackageStates() which contains the lines			
<pre>if (\$this->packageStatesConfiguration === array() && \$this->bootstrap->getContext() !== 'Production') { \$this->scanAvailablePackages(); [...]</pre>			
scanAvailablePackages() in turn calls savePackageStates() which deletes all shortcut paths and recreates them.			
If I get it right this means, that all shortcut paths are recreated for each request. Is this intended?			
Related issues:			
related to TYPO3.Flow - Feature # 32333: Modular and configurable bootstrap		Resolved	2011-12-06

Associated revisions

Revision 8634aaec - 2011-12-19 17:21 - Christopher Hlubek

[BUGFIX] Update package states only when needed

While scanning of available packages will still happen on every request in non-production contexts, the package state will only be saved if there has actually been a change.

Change-Id: If18f9c7edebd8206348bf848059b7c37075866c4

Releases: 1.1

Resolves: #32552

History

#1 - 2011-12-15 10:25 - Christopher Hlubek

- Priority changed from *Should have* to *Must have*

I think this is a blocker for development, I always get permission problems when Shortcuts are removed etc.

I think there is a bug with the empty package state configuration triggering the reload /save on every request. We only need to scan packages on the first hit and then only if package relate actions are called (like activate / list etc.).

#2 - 2011-12-15 10:31 - Karsten Dambekalns

- Status changed from New to Accepted

#3 - 2011-12-15 10:59 - Gerrit Code Review

- Status changed from Accepted to Under Review

Patch set 1 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/7268>

#4 - 2011-12-15 11:02 - Gerrit Code Review

Patch set 2 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/7268>

#5 - 2011-12-15 15:40 - Gerrit Code Review

Patch set 3 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/7268>

#6 - 2011-12-16 10:59 - Gerrit Code Review

Patch set 4 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/7268>

#7 - 2011-12-19 13:22 - Gerrit Code Review

Patch set 5 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/7268>

#8 - 2011-12-19 16:53 - Gerrit Code Review

Patch set 6 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/7268>

#9 - 2011-12-19 17:21 - Gerrit Code Review

Patch set 7 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/7268>

#10 - 2011-12-19 23:07 - Christopher Hlubek

- Status changed from Under Review to Resolved

- % Done changed from 0 to 100

Applied in changeset commit:8634aaec568b3e4f58d24b5c2f7137260b9e682f.

