

TYPO3.Flow - Feature # 3302

Status:	Resolved	Priority:	Must have
Author:	Robert Lemke	Category:	MVC
Created:	2009-05-14	Assigned To:	Christopher Hlubek
Updated:	2010-10-20	Due date:	
PHP Version:			
Has patch:			
Complexity:			
Subject:	Implement a "Controller Context"		
Description			
We need a new class "ControllerContext" which contains contextual information about a controller:			
<ul style="list-style-type: none">- the request object- the response object- arguments- argumentsMappingResults- the URI Builder instance			
The ControllerContext is a property of the AbstractController.			
ActionController->initializeView() should inject the ControllerContext into the view. The request should not be injected anymore (therefore the view needs to be refactored).			

Associated revisions

Revision c3377e03 - 2009-05-15 18:53 - Christopher Hlubek

Fixes #3302: implementing a Controller Context except for adding the URIhelper

History

#1 - 2009-05-14 16:45 - Robert Lemke

Also remove \$packageKey from AbstractConctroller - use \$request->getControllerPackageKey instead.

#2 - 2009-05-14 18:48 - Christopher Hlubek

- Assigned To changed from Sebastian Kurfuerst to Christopher Hlubek

#3 - 2009-05-15 19:00 - Christopher Hlubek

- Status changed from Accepted to Resolved

- % Done changed from 0 to 100

Applied in changeset r2225.