

TYPO3.Flow - Bug # 33024

Status:	Accepted	Priority:	Must have
Author:	Jonny	Category:	I18n
Created:	2012-01-06	Assigned To:	Karsten Dambekalns
Updated:	2012-03-07	Due date:	
PHP Version:			
Has patch:	No		
Complexity:			
Affected Flow version: FLOW3 1.0.2			
Subject:	Exception when validating a float in a Model with the Number validator		
Description			
<p>Warning: array_merge(): Argument #1 is not an array in /Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/TYPO3_FLOW3_I18n_Cldr_CldrModel_Original.php line 356 29 TYPO3\FLOW3>Error\ErrorHandler::handleError(2, "array_merge(): Argument #1 is not an array", "asses/TYPO3_FLOW3_I18n_Cldr_CldrModel_Original.php", 356, array)</p> <p>28 array_merge(boolean, array)</p> <p>27 TYPO3\FLOW3\I18n\Cldr\CldrModel_Original::resolveAliases(array, "dates/calendars/calendar[@type="roc"]/dateTimeFormats/dateTimeFormatLength")</p> <p>26 TYPO3\FLOW3\I18n\Cldr\CldrModel_Original::resolveAliases(array, "dates/calendars/calendar[@type="roc"]/dateTimeFormats")</p> <p>25 TYPO3\FLOW3\I18n\Cldr\CldrModel_Original::resolveAliases(array, "dates/calendars/calendar[@type="roc]")</p> <p>24 TYPO3\FLOW3\I18n\Cldr\CldrModel_Original::resolveAliases(array, "dates/calendars")</p> <p>23 TYPO3\FLOW3\I18n\Cldr\CldrModel_Original::resolveAliases(array, "dates")</p> <p>22 TYPO3\FLOW3\I18n\Cldr\CldrModel_Original::resolveAliases(array, "")</p> <p>21 TYPO3\FLOW3\I18n\Cldr\CldrModel_Original::initializeObject(1)</p> <p>20 TYPO3\FLOW3\I18n\Cldr\CldrModel::__construct(array)</p> <p>19 TYPO3\FLOW3\I18n\Cldr\CldrRepository_Original::getModelForLocale(TYPO3\FLOW3\I18n\Locale)</p> <p>18 TYPO3\FLOW3\I18n\Cldr\Reader\NumbersReader_Original::parseFormatFromCldr(TYPO3\FLOW3\I18n\Locale, "decimal", "default")</p> <p>17 TYPO3\FLOW3\I18n\Parser\NumberParser_Original::parseDecimalNumber(0, TYPO3\FLOW3\I18n\Locale, "default", boolean)</p> <p>16 TYPO3\FLOW3\Validation\Validator\NumberValidator_Original::isValid(0)</p> <p>15 TYPO3\FLOW3\Validation\Validator\AbstractValidator::validate(0)</p> <p>14 TYPO3\FLOW3\Validation\Validator\GenericObjectValidator_Original::checkProperty(0, SplObjectStorage, TYPO3\FLOW3>Error\Result)</p> <p>13 TYPO3\FLOW3\Validation\Validator\GenericObjectValidator_Original::validate(Spielmeister\Common\Domain\Model\Transaction)</p>			

```

12 TYPO3\FLOW3\Validation\Validator\ConjunctionValidator_Original::validate(Spielmeister\Common\Domain\Model\Transaction)
11
TYPO3\FLOW3\Persistence\Doctrine\PersistenceManager_Original::validateObject(Spielmeister\Common\Domain\Model\Transaction)
)
10 TYPO3\FLOW3\Persistence\Doctrine\PersistenceManager_Original::onFlush Doctrine\ORM\Event\OnFlushEventArgs)
9 Doctrine\Common\EventManager::dispatchEvent("onFlush", Doctrine\ORM\Event\OnFlushEventArgs)
8 Doctrine\ORM\UnitOfWork::commit()
7 Doctrine\ORM\EntityManager::flush()
6
TYPO3\FLOW3\Persistence\Doctrine\PersistenceManager_Original::persistAll("TYPO3\FLOW3\Core\Bootstrap::finishedRuntimeRun")
)
5 call_user_func_array(array, array)
4 TYPO3\FLOW3\SignalSlot\Dispatcher::dispatch("TYPO3\FLOW3\Core\Bootstrap", "finishedRuntimeRun", array)
3 TYPO3\FLOW3\Core\Bootstrap::emitFinishedRuntimeRun()
2 TYPO3\FLOW3\Core\Bootstrap::handleRequest()
1 TYPO3\FLOW3\Core\Bootstrap::run()

```

In Model:

```

/**
 * The value
 * @var float
 * @FLOW3\validate(type="Number")
 */
protected $value;

/**
 *
 * @param float $value
 * @return void
 */
public function setValue($value) {
    $this->value = floatval($value);
}

```

When trying to persistent a Model with this Validation, i throws this Exception as shown.

I Think it may have something to do with the localization.

When changing it to float validation, it works fine.

History

#1 - 2012-03-07 22:08 - Karsten Dambekalns

- Category changed from - Error Handler Report - to I18n
- Status changed from New to Accepted
- Assigned To set to Karsten Dambekalns
- Priority changed from -- undefined -- to Must have