

TYPO3.Flow - Task # 33142

Status:	Resolved	Priority:	Should have
Author:	Christian Müller	Category:	Reflection
Created:	2012-01-12	Assigned To:	Karsten Dambekalns
Updated:	2012-02-14	Due date:	
Sprint:			
PHP Version:			
Has patch:	No		
Complexity:			
Subject:	Ignore Tags / Annotations in external libraries, find some good solution		
Description			
for now we have the ignore list of tags in Packages/Framework/TYPO3.FLOW3/Classes/Reflection/ReflectionService.php			
For external libraries with lots of custom tags this is a problem, of course we can patch master specifically all the time, but maybe we should think about another solution. So a possible way would be to have a core ignore set and allow additions by configuration or just a globally configurable ignore list. Maybe there are other ideas?			

Associated revisions

Revision cebbf8e2 - 2012-02-13 15:10 - Christian Müller

[FEATURE] Make tag ignores configurable

Makes the list of ignored tags configurable. This can be used to add tags to the list if needed by your package by simply setting `TYPO3.FLOW3.reflection.ignoredTags` to an array of tag names in your `Settings.yaml`.

Change-Id: I2e92e506504c049fd139ec0a8f6a19524a0c38f1

Resolves: #33142

Releases: 1.1

History

#1 - 2012-01-12 13:23 - Adrian Förder

Well for now, we have afaik two possibilities how external libraries could get involved:

1. if it's just a tiny helper library, it's intended to be stored in `{PackageRoot}/Resources/PHP/{libraryName}` and just included via `require`. *is this suspected by the problem however?*
2. if the FLOW3 package mainly represents the foreign library at all, like it's the case in Imagine or Swift package, the library code is put below `{PackageRoot}/Classes` directly.

If this is considered common guideline, I suggest we should only allow customized annotation allowance for files below those two kind of directories.

So basically I agree with Christian making the "ignore" list of annotations just configurable via YAML configuration.

Additional idea could be to allow "mapping" of annotations; i.e. `@date`

(which is not an official PhpDoc annotation) could get mapped to

`@My\SooperdooperTool\Annotations\Date`

or such.

#2 - 2012-01-13 11:44 - Peter Beernink

Adrian Föder wrote:

If this is considered common guideline, I suggest we should only allow customized annotation allowance for files below those two kind of directories.

So basically I agree with Christian making the "ignore" list of annotations just configurable via YAML configuration.

Additional idea could be to allow "mapping" of annotations; i.e.

@date

(which is not an official PhpDoc annotation) could get mapped to

@My\SooperdooperTool\Annotations\Date

or such.

This also make it possible to 'ignore' other tags, when an empty Annotation\Ignore is added.

#3 - 2012-01-19 17:48 - Karsten Dambekalns

- Project changed from *TYPO3 Flow Base Distribution* to *TYPO3.Flow*
- Status changed from *New* to *Accepted*
- Assigned To changed from *Christian Müller* to *Karsten Dambekalns*

#4 - 2012-01-19 17:48 - Karsten Dambekalns

- Category set to *Reflection*
- Target version set to *1.1*
- Has patch set to *No*

#5 - 2012-01-19 17:49 - Gerrit Code Review

- Status changed from *Accepted* to *Under Review*

Patch set 3 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/7747>

#6 - 2012-01-19 17:49 - Gerrit Code Review

Patch set 4 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/7747>

#7 - 2012-01-19 21:02 - Peter Beernink

Karsten I haven't tested your code yet, but it looks like a good solution.

However, when I read the code it looks like one has to copy the default list to the Configuration/Settings.yaml in order to add additional tags.

Is this the intended behaviour?

I can imagine that you have multiple (3rd party) packages which all have one or two tags to exclude. You have to manually check each package on which tags should be excluded and compile a complete list in your base Settings.yaml.

Or am I completely wrong here and is the array merged with arrays defined in other packages?

#8 - 2012-01-20 10:31 - Bastian Waidelich

Peter Beernink wrote:

However, when I read the code it looks like one has to copy the default list to the Configuration/Settings.yaml in order to add additional tags.

Good catch, this wouldn't be easily extensible by 3rd party unless we'd change the syntax to something like

```
ignoredTags:  
  api: y  
  package: y  
  ...
```

if I'm correct..

Not very beautiful IMO.

What about adding an AnnotationInterface (that all annotations need to implement) and an (extensible) whitelist that gets all annotations added dynamically?

#9 - 2012-01-20 11:58 - Karsten Dambekalns

Check the configuration in the TYPO3.TcPdf package, it simply adds stuff. Worked for me, so unless I missed something, **no need to replicate** (which would be stupid).

#10 - 2012-02-13 15:12 - Gerrit Code Review

Patch set 5 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/7747>

#11 - 2012-02-14 02:43 - Christian Müller

- Status changed from *Under Review* to *Resolved*

- % Done changed from 0 to 100

Applied in changeset commit:cebbf8e2851b28ffaf32abafbb675e47af6ae783.