

TYPO3.TYPO3CR - Feature # 3336

Status:	Resolved	Priority:	Should have
Author:	Bastian Waidelich	Category:	Query handling
Created:	2009-05-16	Assigned To:	Karsten Dambekalns
Updated:	2011-05-05	Due date:	
Subject:	Allow fetching of arbitrary objects by UUID		
Description			
There is a method <code>getUUIDByObject()</code> in the persistence manager backend. We need the inverse function to be able to retrieve any object by UUID (without the need to specify the object type).			

Associated revisions

Revision 5909a53e - 2009-07-23 16:14 - Karsten Dambekalns

[~TASK] TYPO3CR (FLOW3 Persistence): renamed `hasUUID()` to `hasIdentifier()` to be in sync with other method names.

[+TASK] TYPO3CR (FLOW3 Persistence): added `getObjectByIdentifier()` to the FLOW3 persistence backend, resolves #3336.

History

#1 - 2009-05-20 14:29 - Karsten Dambekalns

- File *BackendTest.patch* added
- File *Backend.php* added
- Status changed from *New* to *Accepted*

#2 - 2009-06-10 11:03 - Karsten Dambekalns

- *Assigned To* deleted (*Karsten Dambekalns*)

#3 - 2009-07-23 16:14 - Karsten Dambekalns

- *Assigned To* set to *Karsten Dambekalns*

#4 - 2009-07-23 17:00 - Karsten Dambekalns

- Status changed from *Accepted* to *Resolved*
- % Done changed from 0 to 100

Applied in changeset r2871.

Files

BackendTest.patch	3 kB	2009-05-20	Karsten Dambekalns
Backend.php	620 Bytes	2009-05-20	Karsten Dambekalns