

TYPO3.Flow - Task # 3374

Status:	Rejected	Priority:	Could have
Author:	Robert Lemke	Category:	Package
Created:	2009-05-19	Assigned To:	Karsten Dambekalns
Updated:	2012-11-07	Due date:	
Sprint:			
PHP Version:			
Has patch:	No		
Complexity:			
Subject:	Support dedicated package versions per context		
Description			
<p>It should be possible to run different versions of a package depending on the application context. This would allow anyone to test new versions in dev context before staging it to production.</p> <p>As already discussed, the directory structure should be:</p> <pre>/myhome/Packages/Local/Blog/Development/ /myhome/Packages/Local/Blog/Production/ etc.</pre> <p>It should still be possible to have only one version for all contexts:</p> <pre>/myhome/Packages/Local/Blog/</pre> <p>If there are context specific versions or not can be detected by checking for the existence of the Meta/Package.xml</p>			

History

#1 - 2009-06-04 14:57 - Robert Lemke

- Priority changed from *Must have* to *Could have*
- Target version changed from *283* to *1.0 alpha 2*

#2 - 2009-06-26 16:23 - Robert Lemke

- Target version changed from *1.0 alpha 2* to *283*

#3 - 2009-07-13 11:25 - Robert Lemke

- Target version deleted (*283*)

#4 - 2009-11-30 19:13 - Karsten Dambekalns

- Assigned To set to *Christopher Hlubek*

#5 - 2009-12-03 23:28 - Christopher Hlubek

- Status changed from *New* to *Accepted*

I think the latest consensus was to allow multiple package versions inside each package directory and specify the activated version in the specific (per context) PackageStates.yml, e.g.:

```
mypath/Packages/Application/Blog/0.2.2/
```

mypath/Packages/Application/Blog/0.2.3/

and

mypath/Configuration/PackageStates.yml

Blog:

state: active

version: 0.2.2

An explicit version number would allow for a seamless upgrade of packages, since the old package will run as is until the new package is fully installed and activated in PackageStates.yml.

#6 - 2012-11-07 11:40 - Karsten Dambekalns

- *Status changed from Accepted to Rejected*
- *Assigned To changed from Christopher Hlubek to Karsten Dambekalns*
- *Has patch set to No*

This would clash with the way composer manages packages. And in the last years, noone really needed it, or it would have been implemented. ;)