

TYPO3.Flow - Bug # 3477

Status:	Resolved	Priority:	Must have
Author:	Robert Lemke	Category:	Persistence
Created:	2009-05-27	Assigned To:	Karsten Dambekalns
Updated:	2010-10-20	Due date:	
PHP Version:			
Has patch:			
Complexity:			
Affected Flow version:			
Subject:	Objects added to a (persistence) repository don't have have a uuid		
Description			
Newly created objects which are added to a repository don't have a uuid before they are persisted:			
<pre>/** * @param \F3\Releazr\Domain\Model\Release \$newRelease * @return string */ public function createAction(\F3\Releazr\Domain\Model\Release \$newRelease) { \$this->releaseRepository->add(\$newRelease); \$this->redirect('show', NULL, NULL, array('release' => \$newRelease)); }</pre>			
The redirect in the above example doesn't work because the URI needs to know the UUID of \$newRelease which yet doesn't exist.			
Solution: Let the (release) repository create a UUID and let the CR take that UUID as a hint for later persistence.			

Associated revisions

Revision 734da3c3 - 2009-05-28 15:40 - Karsten Dambekalns

FLOW3:

- entities now get an UUID set through AOP upon creation which is used later on, resolves #3477

TYPO3CR:

- getUUIDByObject now looks for UUID set by FLOW3 through AOP, refs #3477

History

#1 - 2009-05-28 16:00 - Karsten Dambekalns

- Status changed from Accepted to Resolved
- % Done changed from 0 to 100

Applied in changeset r2442.