TYPO3.Flow - Feature # 35354

Author	Closed		Priority:	Could have
	: Adrian Föde	er	Category:	Validation
Create	1: 2012-03-29		Assigned To:	Karsten Dambekalns
Update	d: 2012-06-27		Due date:	
PHP Ve	ersion:		÷	
Has pa	tch: No			
Comple	exity:			
Subjec	t: Additional va	ariants to annotate V	alidators	
Descrij	otion			
		et a validator to a mo	del property is to annotate it ir	n the vicinity of the appropriate method
oropert				
1	/**			
2	* @FLOW3\Validate(type="N	NotEmpty")		
3	* @FLOW3\Validate(type="F	RegularExpression",	options={ "regularExpression"	="/^[mf]\$/" })
4	* @var string			
5	* @ORM\Column(length=1)			
6	*/			
7	protected \$gender;			
8				
9	/**			
10	* @FLOW3\Validate(type="	'NotEmpty")		
11	* @var \TYPO3\Party\Doma	ain\Model\PersonNan	ne	
12	* @ORM\OneToOne			
13	*/			
14	protected \$name;			
14		mind, one would be v	ia Configuration.yaml (or may	be even an additional Validation.yaml:
14 I now h 1-			ia Configuration.yaml (or may	be even an additional Validation.yaml:
14 I now h 1- 2 g	ave two additional options in r		ia Configuration.yaml (or may	be even an additional Validation.yaml:
14 I now h 1- 2 g	ave two additional options in r property: \Acme\Northwind\Pe		ia Configuration.yaml (or may	be even an additional Validation.yaml:
14 I now h 1- 2 g	ave two additional options in r property: \Acme\Northwind\Pe ralidators:		ia Configuration.yaml (or may	be even an additional Validation.yaml:
14 I now h 1- 2 r 3 v 4	ave two additional options in r property: \Acme\Northwind\Pe ralidators: - NotEmpty		ia Configuration.yaml (or may	be even an additional Validation.yaml:
14 I now h 1- 2 r 3 v 4 5	ave two additional options in r property: \Acme\Northwind\Pe ralidators: - NotEmpty - RegularExpression	erson.gender	ia Configuration.yaml (or may	be even an additional Validation.yaml:
14 I now h 1- 2 p 3 v 4 5 6	ave two additional options in r property: \Acme\Northwind\Pe ralidators: - NotEmpty - RegularExpression options:	erson.gender	ia Configuration.yaml (or may	be even an additional Validation.yaml:
14 I now h 1- 2 g 3 v 4 5 6 7 8-	ave two additional options in r property: \Acme\Northwind\Pe ralidators: - NotEmpty - RegularExpression options:	erson.gender \$/		be even an additional Validation.yaml:
14 I now h 1- 2 r 3 v 4 5 6 7 8- 9 r	ave two additional options in r property: \Acme\Northwind\Pe ralidators: - NotEmpty - RegularExpression options: regularExpression: /^[mf]	erson.gender \$/		be even an additional Validation.yaml:
14 now h 1- 2 r 3 v 4 5 6 7 8- 9 r	ave two additional options in r property: \Acme\Northwind\Pe ralidators: - NotEmpty - RegularExpression options: regularExpression: /^[mf] property: \TYPO3\Party\Doma	erson.gender \$/		be even an additional Validation.yaml:
14 I now h 1- 2 r 3 v 4 5 6 7 8- 9 r 10	ave two additional options in r property: \Acme\Northwind\Pe ralidators: - NotEmpty - RegularExpression options: regularExpression: /^[mf]: property: \TYPO3\Party\Doma validators:	erson.gender \$/		be even an additional Validation.yaml:
14 now h 1- 2 r 3 v 4 5 6 7 8- 9 r 10 11	ave two additional options in r property: \Acme\Northwind\Pe ralidators: - NotEmpty - RegularExpression options: regularExpression: /^[mf] property: \TYPO3\Party\Doma validators: - NotEmpty	erson.gender \$/		be even an additional Validation.yaml:
14 I now h 1- 2 r 3 v 4 5 6 7 8- 9 r 10 11 12	ave two additional options in r property: \Acme\Northwind\Pe ralidators: - NotEmpty - RegularExpression options: regularExpression: /^[mf] property: \TYPO3\Party\Doma validators: - NotEmpty - StringLength	erson.gender \$/		be even an additional Validation.yaml:
14 I now h 1- 2 r 3 v 4 5 6 7 8- 9 r 10 11 12 13	ave two additional options in r property: \Acme\Northwind\Pe ralidators: - NotEmpty - RegularExpression options: regularExpression: /^[mf] property: \TYPO3\Party\Doma validators: - NotEmpty - StringLength options:	erson.gender \$/		be even an additional Validation.yaml:
14 I now h 1- 2 g 3 v 4 5 6 7 8- 9 g 10 11 12 13 14	ave two additional options in r property: \Acme\Northwind\Pe ralidators: - NotEmpty - RegularExpression options: regularExpression: /^[mf] property: \TYPO3\Party\Doma validators: - NotEmpty - StringLength options:	erson.gender \$/		be even an additional Validation.yaml:
14 I now h 1- 2 r 3 v 4 5 6 7 8- 9 r 10 11 12 13 14 15 16-	ave two additional options in r property: \Acme\Northwind\Pe ralidators: - NotEmpty - RegularExpression options: regularExpression: /^[mf] property: \TYPO3\Party\Doma validators: - NotEmpty - StringLength options:	erson.gender \$/		be even an additional Validation.yaml:

1 /**

- 2 * @FLOW3\Validate(type="NotEmpty")
- 3 * @FLOW3\Validate("\$firstName", type="NotEmpty")
- 4 * @FLOW3\Validate("\$lastName", type="NotEmpty")
- 5 * @var \TYPO3\Party\Domain\Model\PersonName
- 6 * @ORM\OneToOne
- 7 */
- 8 protected \$name;

(for this example, remember \TYPO3\Party\Domain\Model\PersonName has properties firstName and lastName).

Related issues:

related to TYPO3.Flow - Feature # 37373: Make annotation overrides / "injecti...

Under Review 2012-05-21

History

#1 - 2012-05-25 13:17 - Karsten Dambekalns

- Status changed from New to Needs Feedback

- Assigned To set to Karsten Dambekalns

The first one would come "for free" with #37373 and the second one seems to be confusing for me. You might look at PersonName and wonder why on earth validation fails for seemingly weird reasons.

#2 - 2012-06-27 09:37 - Adrian Föder

- Status changed from Needs Feedback to Closed

great, I'm perfectly fine with having the first option.