TYPO3.TYPO3CR - Bug # 354

Status:	Resolved	Priority:	Must have	
Author:	Karsten Dambekalns	Category:	Property handling	
Created:	2008-02-22	Assigned To:	Matthias Hörmann	
Updated:	2011-05-05	Due date:		
Subject:	setProperty() on a Node discar	setProperty() on a Node discards type parameter		

Description

When setting a property on a Node the type parameter is ignored completely!

Associated revisions

Revision b2881f88 - 2008-10-30 14:53 - Karsten Dambekalns

TYPO3CR:

- the LuceneKeywordAnalyser class no longer uses iconv, fixes #1840
- removed an unneeded method in Property class
- implemented validation and best-effort type-conversion for Node->setProperty() [mostly by Matthias Hoermann], fixes #354
 - partial URIs (those without a scheme) are not implemented as there would be much overlap with JCR paths and/or names
- values of undefined type are just validated with several candidate types and the first match wins, the order(s) of types that are tried might need some fine-tuning later

History

#1 - 2008-08-22 19:26 - Karsten Dambekalns

- Category set to Property handling
- Priority changed from Should have to Must have

#2 - 2008-09-23 16:55 - Matthias Hörmann

- Assigned To changed from Karsten Dambekalns to Matthias Hörmann

I am working on this now, validation of most types is done, working on best effort conversion and the other validators

#3 - 2008-10-28 13:14 - Karsten Dambekalns

- Target version set to 197

#4 - 2008-10-30 14:32 - Karsten Dambekalns

- Subject changed from addProperty() on a Node discards type parameter to setProperty() on a Node discards type parameter

#5 - 2008-10-30 14:55 - Karsten Dambekalns

- Status changed from Accepted to Resolved
- % Done changed from 0 to 100

Applied in changeset r1413.

#6 - 2011-05-05 17:12 - Robert Lemke

- Target version deleted (197)

2015-08-03 1/1