

## TYPO3.Flow - Bug # 36913

<b>Status:</b>	Resolved	<b>Priority:</b>	Must have
<b>Author:</b>	Pankaj Lele	<b>Category:</b>	Http
<b>Created:</b>	2012-05-07	<b>Assigned To:</b>	Robert Lemke
<b>Updated:</b>	2012-05-26	<b>Due date:</b>	
<b>PHP Version:</b>	5.3		
<b>Has patch:</b>	No		
<b>Complexity:</b>	medium		
<b>Affected Flow version:</b>	FLOW3 1.1.0 beta 1		
<b>Subject:</b>	HTTP PUT data not regonized as arguments		
<b>Description</b>	<p>Data submitted with HTTP PUT method is not recognized in the TYPO3\FLOW3\Http\Request</p> <p>This is required while developing a REST service with FLOW3. So e.g. with curl call like:</p> <pre>curl -X PUT -d "name=New name" <a href="http://myservice.com/users/12345">http://myservice.com/users/12345</a></pre> <p>the MyController-&gt;updateAction(\$user, \$name) would receive \$name as an argument.</p>		
<b>Related issues:</b>			
related to TYPO3.Flow - Bug # 37445: Router overrides POST arguments	<b>Resolved</b>	<b>2012-05-23</b>	
related to TYPO3.Flow - Feature # 37402: Make request handling RESTfuller	<b>Resolved</b>	<b>2012-05-22</b>	

### Associated revisions

#### Revision 26f83dd3 - 2012-05-23 16:21 - Robert Lemke

[FEATURE] Support for HTTP PUT/DELETE arguments

This adds transparent argument support for arguments in PUT and DELETE requests which are passed through the request body. Depending on the content type of the request, the message body is parsed and then mapped into arguments for further use in controllers.

The following content content types are currently supported:

- application/x-www-form-urlencoded
- application/json
- xml

Change-Id: Ifa6712e38d68c94cd9ec79a499d25ee577fc2d57

Resolves: #36913

Related: #37402

Related: #33371

Releases: 1.1, 1.2

#### Revision 8ce2f8da - 2012-05-23 16:37 - Robert Lemke

[FEATURE] Support for HTTP PUT/DELETE arguments

This adds transparent argument support for arguments in PUT and DELETE requests which are passed through the request body. Depending on the content type of the request, the message body is parsed and then mapped into arguments for further use in controllers.

The following content content types are currently supported:

- application/x-www-form-urlencoded
- application/json
- xml

Change-Id: Id938025a7359b6ec3b29cec5fd7259db97703a16

Resolves: #36913

Related: #37402

Related: #33371

Releases: 1.1, 1.2

## History

---

### #1 - 2012-05-22 17:37 - Robert Lemke

- Status changed from New to Accepted
- Priority changed from Should have to Must have
- Target version changed from 1.1 to 1.1 beta 2
- Complexity set to medium
- Affected Flow version changed from Git master to FLOW3 1.1.0 beta 1

### #2 - 2012-05-23 14:15 - Gerrit Code Review

- Status changed from Accepted to Under Review

Patch set 1 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/11531>

### #3 - 2012-05-23 15:26 - Gerrit Code Review

Patch set 2 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/11531>

### #4 - 2012-05-23 16:24 - Gerrit Code Review

Patch set 3 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/11531>

### #5 - 2012-05-23 16:33 - Gerrit Code Review

Patch set 1 for branch **FLOW3-1.1** has been pushed to the review server.

It is available at <http://review.typo3.org/11546>

**#6 - 2012-05-23 16:37 - Gerrit Code Review**

Patch set 2 for branch **FLOW3-1.1** has been pushed to the review server.

It is available at <http://review.typo3.org/11546>

**#7 - 2012-05-26 15:35 - Robert Lemke**

- *Status changed from Under Review to Resolved*

- *% Done changed from 0 to 100*

Applied in changeset commit:8ce2f8da04576f850dc1bb02c22fdd582f02df86.