TYPO3.Flow - Feature # 37438

Status:		.	<u> </u>	
	Resolved	Priority:	Should hav	e
Author:	Adrian Föder	Category:	Core	
Created:	2012-05-23	Assigned To:	Adrian Föde	er
Updated:	2012-07-12	Due date:		
PHP Version:				
Has patch:	No			
Complexity:	easy			
Subject:	Remove setting default time	ezone on its own		
Description				
1if (ini_get('date.	ains the following lines: timezone') === '') { _timezone_set('Europe/Copenha	agen');		
	. –	e E_WARNING (->Exception), whic		v time zone that makes sense
in any way in this co	-	rigiy recommend setting this to or c		v line zone that makes sense
in any way in this co	illext.			
Related issues:				
	- Feature # 44123: Make the "Flow	requires the PHP sett	New	2012-12-19
	- Teature # 44125. Make the Thow	requires the FTF Sett	INCW	2012-12-19
Associated revision	าร			
Revision 3f3b1e00 - 2	012-07-12 12:29 - Adrian Föder			
[!!!][TASK] Remove FL	OW3's magic timezone setting beha	vior		
[!!!][TASK] Remove FL	OW3's magic timezone setting beha	vior		
	DW3's magic timezone setting beha ally set a default timezone if there's			
FLOW3 used to magica		none set		
FLOW3 used to magica	ally set a default timezone if there's	none set		
FLOW3 used to magica (in order to avoid the P	ally set a default timezone if there's	none set		
FLOW3 used to magica (in order to avoid the P exception).	ally set a default timezone if there's	none set an		
FLOW3 used to magica (in order to avoid the P exception). Because every default	ally set a default timezone if there's HP notice being thrown, resulting in	none set an most people;		
FLOW3 used to magica (in order to avoid the P exception). Because every default	ally set a default timezone if there's HP notice being thrown, resulting in time zone will be the wrong one for of having to care about the system	none set an most people;		
FLOW3 used to magica (in order to avoid the P exception). Because every default and to raise awareness	ally set a default timezone if there's HP notice being thrown, resulting in time zone will be the wrong one for of having to care about the system	none set an most people;		
FLOW3 used to magica (in order to avoid the P exception). Because every default and to raise awareness this behavior is dropped	ally set a default timezone if there's HP notice being thrown, resulting in time zone will be the wrong one for of having to care about the system	none set an most people; 's time zone,		
FLOW3 used to magica (in order to avoid the P exception). Because every default and to raise awareness this behavior is dropped This change is marked	ally set a default timezone if there's HP notice being thrown, resulting in time zone will be the wrong one for s of having to care about the system d.	none set an most people; 's time zone,		
FLOW3 used to magica (in order to avoid the P exception). Because every default and to raise awareness this behavior is dropped This change is marked	ally set a default timezone if there's HP notice being thrown, resulting in time zone will be the wrong one for s of having to care about the system d. breaking because in cases where n	none set an most people; 's time zone,		
FLOW3 used to magica (in order to avoid the P exception). Because every default and to raise awareness this behavior is dropped This change is marked is set in PHP configura	ally set a default timezone if there's HP notice being thrown, resulting in time zone will be the wrong one for s of having to care about the system d. breaking because in cases where n	none set an most people; 's time zone, o timezone		
FLOW3 used to magica (in order to avoid the P exception). Because every default and to raise awareness this behavior is dropped This change is marked is set in PHP configura	ally set a default timezone if there's HP notice being thrown, resulting in time zone will be the wrong one for of having to care about the system d. breaking because in cases where n tion, FLOW3 will no longer work.	none set an most people; 's time zone, o timezone		
FLOW3 used to magica (in order to avoid the P exception). Because every default and to raise awareness this behavior is dropped This change is marked is set in PHP configura Change-Id: Ife9a5b78c	ally set a default timezone if there's HP notice being thrown, resulting in time zone will be the wrong one for of having to care about the system d. breaking because in cases where n tion, FLOW3 will no longer work.	none set an most people; 's time zone, o timezone		
FLOW3 used to magica (in order to avoid the P exception). Because every default and to raise awareness this behavior is dropped This change is marked is set in PHP configura Change-Id: Ife9a5b78c Resolves: #37438	ally set a default timezone if there's HP notice being thrown, resulting in time zone will be the wrong one for of having to care about the system d. breaking because in cases where n tion, FLOW3 will no longer work.	none set an most people; 's time zone, o timezone		

History

#1 - 2012-05-23 16:48 - Karsten Dambekalns

It is a reference to the inventor of TYPO3, who happens to live in Copenhagen. :)

And any timezone we set here will make little sense to most people. Except the ones for whom this timezone happens to be the correct one.

#2 - 2012-05-23 16:49 - Karsten Dambekalns

- Tracker changed from Feature to Task

#3 - 2012-05-23 17:24 - Adrian Föder

- Tracker changed from Task to Feature

And any timezone we set here will make little sense to most people.

Exactly, and that's exactly the reason why the only thing that makes sense for "most" people, and is responsibly, is to set this to UTC.

You might have noticed I'm a bit paranoid regarding timezone issues ;-)

#4 - 2012-07-11 08:34 - Karsten Dambekalns

- Status changed from New to Needs Feedback
- Assigned To set to Robert Lemke

Robert, it was your idea - so IMHO it's your decision :)

#5 - 2012-07-11 09:40 - Robert Lemke

Well, today I tend to omit that check altogether and let FLOW3 throw the exception. Anything which speaks against this?

#6 - 2012-07-11 09:51 - Adrian Föder

+1 from me to remove that check! That UTC suggestion was only a tradeoff; I indeed tend to force the users to make that TZ decision on their own. Again, the fact that the framework heavily uses \DateTime which is stored timezone-less in the data base makes a correct time zone even more important; at least to create the user-awareness.

#7 - 2012-07-11 10:14 - Robert Lemke

- Status changed from Needs Feedback to Accepted
- Assigned To changed from Robert Lemke to Adrian Föder
- Priority changed from Must have to Should have

Great. Do you mind committing a respective patch? Otherwise just assign this back to me ...

#8 - 2012-07-11 10:18 - Adrian Föder

- Subject changed from Set default timezone to UTC instead unreasonable Europe/Copenhagen to Remove setting default timezone on its own

#9 - 2012-07-11 10:30 - Gerrit Code Review

- Status changed from Accepted to Under Review

Patch set 1 for branch **master** has been pushed to the review server. It is available at <u>http://review.typo3.org/12749</u>

#10 - 2012-07-12 12:29 - Gerrit Code Review

Patch set 2 for branch **master** has been pushed to the review server. It is available at <u>http://review.typo3.org/12749</u>

#11 - 2012-07-12 15:35 - Adrian Föder

- Status changed from Under Review to Resolved
- % Done changed from 0 to 100

Applied in changeset commit:3f3b1e0034af0fd20533a1bdbdca8f20588d87ec.