

TYPO3.Flow - Feature # 37846

Status:	New	Priority:	Should have
Author:	Fernando Arconada	Category:	Security
Created:	2012-06-08	Assigned To:	
Updated:	2012-06-11	Due date:	
PHP Version:			
Has patch:	No		
Complexity:			
Subject:	Should be able to declare more than one controllerObjectName per requestPatterns		
Description			
For example If you want to enable DefaultProvider in every controller but the ApiController and TokenEndpoint requestPatterns:			
-			
controllerObjectName: '(?!My\Package\ApiController)'			
-			
controllerObjectName: '.*'			
-			
controllerObjectName: '(?!My\Package-TokenEndpoint)'			
ApiController it's authenticated with other provider, for example an OAuth2AccessTokenProvider the OAuth2 TokenEndpoint have to be authenticated following the OAuth2 draft and not the common way defined for the rest of your app			

History

#1 - 2012-06-08 19:15 - Christian Müller

- Priority changed from Must have to Should have

Would mean that syntax to define patterns must change from:

requestPatterns:

```
controllerObjectName: 'TYPO3\Admin\Controller\.*'
```

to something more like in the firewall:

requestPatterns:

```
-  
patternType: controllerObjectName  
patternValue: 'TYPO3\Admin\Controller\.*'
```

#2 - 2012-06-08 19:15 - Christian Müller

- Project changed from TYPO3 Flow Base Distribution to TYPO3.Flow

#3 - 2012-06-08 19:15 - Christian Müller

- Category set to Security

- Has patch set to No