

## TYPO3.Flow - Bug # 38381

<b>Status:</b>	Resolved	<b>Priority:</b>	Should have
<b>Author:</b>	Vaclav Janoch	<b>Category:</b>	Persistence
<b>Created:</b>	2012-06-25	<b>Assigned To:</b>	Karsten Dambekalns
<b>Updated:</b>	2012-07-18	<b>Due date:</b>	
<b>PHP Version:</b>			
<b>Has patch:</b>	Yes		
<b>Complexity:</b>			
<b>Affected Flow version:</b> FLOW3 1.0.0			
<b>Subject:</b>	Doctrine Repository   findAll()-method does not consider \$this->defaultOrderings		
<b>Description</b>			
<p>The findAll()-method of TYPO3\FLOW3\Persistence\Doctrine\Repository does not consider \$this-&gt;defaultOrderings. A simple patch could be the following:</p>			
File: TYPO3/FLOW3/Persistence/Doctrine/Repository.php			
<pre>/**  * Finds all entities in the repository.  *  * @return array The entities.  */ public function findAll() {     return \$this-&gt;findBy(array(), \$this-&gt;defaultOrderings); }</pre>			
<p>There might be also another way to set the default orderings.</p>			
<p>As #35035 describes that findAll() is inconsistent regarding to the return value, this is also kind of inconsistent, because the TYPO3\FLOW3\Persistence\Repository-&gt;findAll()-method does consider the default orderings.</p>			
<b>Related issues:</b>			
related to TYPO3.Flow - Bug # 35035: Doctrine repository findAll is inconsistent		<b>Resolved</b>	<b>2012-03-20</b>

### Associated revisions

#### Revision 9825cdbf - 2012-07-10 12:10 - Karsten Dambekalns

[BUGFIX] Have Doctrine\Repository::findAll() return a QueryResult

This makes the behavior of Doctrine\Repository consistent and allows the use of findAll() e.g. in combination with widgets.

With this change, findAll() also observes the default ordering of a repository.

Change-Id: If24afae617a745d791d5fc81ab070e5d3738a545

Fixes: #35035

Fixes: #38381

Releases: 1.1, 1.2

## Revision 93658121 - 2012-07-18 12:47 - Karsten Dambekalns

[BUGFIX] Have Doctrine\Repository::findAll() return a QueryResult

This makes the behavior of Doctrine\Repository consistent and allows the use of findAll() e.g. in combination with widgets.

With this change, findAll() also observes the default ordering of a repository.

Change-Id: If24afae617a745d791d5fc81ab070e5d3738a545

Fixes: #35035

Fixes: #38381

Releases: 1.1, 1.2

## History

---

### #1 - 2012-06-25 22:31 - Karsten Dambekalns

- Status changed from New to Accepted

### #2 - 2012-06-25 22:32 - Karsten Dambekalns

- Affected Flow version changed from Git 1.2 (master) to FLOW3 1.0.0

### #3 - 2012-06-25 22:32 - Gerrit Code Review

- Status changed from Accepted to Under Review

Patch set 2 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/12365>

### #4 - 2012-06-27 15:50 - Karsten Dambekalns

- Target version changed from 1.1 RC1 to 1.1

### #5 - 2012-07-10 09:56 - Gerrit Code Review

Patch set 3 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/12365>

### #6 - 2012-07-10 12:19 - Gerrit Code Review

Patch set 4 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/12365>

### #7 - 2012-07-18 12:48 - Gerrit Code Review

Patch set 1 for branch **FLOW3-1.1** has been pushed to the review server.

It is available at <http://review.typo3.org/12873>

**#8 - 2012-07-18 12:50 - Karsten Dambekalns**

- *Status changed from Under Review to Resolved*
- *Target version changed from 1.1 to 1.1 RC2*
- *% Done changed from 0 to 100*