PHPCR - Bug # 3844

Status:	Resolved	Priority:	Should have
Author:	Karsten Dambekalns	Category:	
Created:	2009-07-07	Assigned To:	Karsten Dambekalns
Updated:	2010-10-20	Due date:	
Subject:	Type of param \$in for importXML() not precisely specified		
Description			
From David Buch	mann:		
-	e session interface. it declares the method impo	ortXIVIL(\$parentAbsPatr	n, \$in, \$uuidBenavior);
the full definition			
	k-fish/PHPCR/blob/545b05799b99ba6aebace		
what type of reso	urce is to be expected here? http://ch.php.net/	<u>resource</u> lists several th	nat would be thinkable: "domxml document" and
"xml" as well as "	stream" and maybe others (i am no streams ex	pert). it would be usefu	Il to specify this exactly
This applies to W	orkspaceInterface and SessionInterface.		
Related issues:			
related to PHPCR -	Task # 5165: Make type for \$out in XML export met	hods cons	Resolved 2009-10-28
Associated revis	sions		

Revision 3667046e - 2009-10-28 14:37 - Karsten Dambekalns

[~API] PHPCR: importXML() in Session and Workspace now expects an URI to read from, resolves #3844.

[~API] PHPCR: getImportContentHandler() in Session and Workspace now return F3\PHPCR\ContentHandlerInterface, resolves #5161.

[~TASK] PHPCR: finished TraversingItemVisitor.

History

#1 - 2009-07-07 22:33 - Karsten Dambekalns

It would have to be a file stream to be close to the JSR-283 spec.

But from the viewpoint of a possibly performant implementation using XMLReader seems advisable - and for that a simple URI pointing to a file would be the easiest solution. A possible combination could be to hand in a file handle and then use stream_get_meta_data() to find out the URI for it.

#2 - 2009-07-10 10:33 - Karsten Dambekalns

It will be come a string representing an URI for our interfaces.

#3 - 2009-10-28 15:00 - Karsten Dambekalns

- Status changed from Accepted to Resolved
- % Done changed from 0 to 100

Applied in changeset r3363.