

TYPO3.Flow - Feature # 40418

Status:	Needs Feedback	Priority:	Could have
Author:	Martin Brüggemann	Category:	Session
Created:	2012-08-30	Assigned To:	
Updated:	2014-10-03	Due date:	
PHP Version:			
Has patch:	No		
Complexity:			
Subject:	Add an option to flow3:cache:flush thats keeps user sessions active		
Description			
<p>At the moment all sessions are being flushed with a</p> <pre>./flow3 flow3:cache:flush</pre> <p>There should be an option to flush all caches except the session storage/cache. Otherwise everytime you deploy a fix to your FLOW3 based SaaS project, all your customers loose their sessions and will have to relogin.</p> <p>Maybe a small option like</p> <pre>./flow3 flow3:cache:flush --keepSessions</pre> <p>would do the trick.</p>			

History

#1 - 2012-08-30 17:20 - Karsten Dambekalns

- Target version set to 2.0 beta 1

#2 - 2012-10-21 00:14 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/15846>

#3 - 2012-10-22 12:51 - Gerrit Code Review

Patch set 2 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/15846>

#4 - 2012-10-31 12:44 - Karsten Dambekalns

- Assigned To set to Karsten Dambekalns

#5 - 2012-11-19 16:34 - Bastian Waidelich

- Status changed from Under Review to Rejected

- Priority changed from Must have to Won't have this time

Closing according to comments on <https://review.typo3.org/#/c/15846/>

Martin Brüggemann, Nov 8:

*[...] Active Sessions should be removed by default when you flush the flow cache with the --force option.
The fact that flow logs you out when deploying a new release with flow depends on the session save path.
By default flow sets an internal temporary path as session save path and if you deploy a new release with Surf there's a new (empty) temporary path without the active sessions -> everyone is logged out!
SOLUTION: Just set a global session save path with TYPO3.Flow.session.PhpSession.savePath (f.e. /tmp) and your sessions will stay active even if you deploy new releases with surf.
As soon as commit request #15942 is implemented flushing the cache will automatically flush the session cache because then the session handling will be completely based on the internal Flow caching backend.*

#6 - 2013-03-07 16:41 - Bastian Waidelich

- Status changed from Rejected to Needs Feedback
- Assigned To deleted (Karsten Dambekalns)
- Priority changed from Won't have this time to Could have
- Target version deleted (2.0 beta 1)

Hi all,

the solution above does not work any longer, because there is no PhpSession in Flow > 2.

What do you think about extending the FileBackend so that the path is configurable?

Then you could add

```
Flow_Session_Storage:  
  backendOptions:  
    cacheDirectory: 'some/other'path'
```

in your Caches.yaml in order to achieve the same as above?

Does that make sense?

#7 - 2014-10-03 20:17 - Lorenz Ulrich

I migrated this one to Jira:

<https://jira.typo3.org/browse/FLOW-80>