TYPO3.Flow - Bug # 406

Status:ResolvedPriority:Should haveAuthor:Michael FeinbierCategory:ObjectCreated:2008-03-16Assigned To:Robert Lemke

Updated: 2010-10-20 **Due date:**

PHP Version:
Has patch:
Complexity:

Affected Flow version:

Subject: Strange behaviour with PHP-CGI

Description

If PHP runs as a CGI, FLOW3 does strange things with the context.

By default you get this Message when calling an own package (ie /Testing)

No input file specified.

This has something to do with the default .htaccess and url-rewriting. I'll try around a little bit with that but a quick-fix is to add cgi.fix_pathinfo = 0

to your php.ini to make the url_rewriting work

But then, the component manager tries to init wrong/non existing classes. eg

\$this->aopFramework = \$this->componentManager->getComponent('T3_FLOW3_AOP_Framework');

throws

'Class T3 FLOW3 AOP Framework AOPProxy Development does not exist '

It seems to me, that this has something to do with the 'context'. Im not pretty sure what the 'context' is all about and thus im not sure if this is a bug or a feature.

On other Systems (PHP as apache module) this snippet works perfect.

Associated revisions

Revision 601ce936 - 2008-03-18 17:48 - Robert Lemke

Updated the .htaccess file - addresses #406.

History

#1 - 2008-03-18 13:09 - Robert Lemke

- Status changed from New to Needs Feedback

Hi Michael,

please post

- what operating system you are using
- the PHP version
- the Apache version
- the value of \$requestPath in T3_FLOW3_MVC_Router->route() with fixpathinfo = 1 and fixpathinfo = 0

2015-08-03 1/4

thanks.

#2 - 2008-03-18 13:51 - Michael Feinbier

[HTTP_PRAGMA] => no-cache

```
Hi robert,
          what operating system you are using
         cat /proc/version
         Linux version 2.4.34.1-grsec (root@imageneu) (gcc version 3.3.5-20050130 (Gentoo 3.3.5.20050130-r1, ssp-3.3.5.20050130-1, pie-8.7.7.1))
         #6 SMP Tue Feb 27 09:49:45 CET 2007
         the PHP version
5.2.5
         the Apache version
Apache/1.3 (Unix) mod_ssl/2.8.28 OpenSSL/0.9.8f AuthPG/1.3 FrontPage/5.0.2.2635
         the value of $requestPath in T3_FLOW3_MVC_Router->route() - with fixpathinfo = 1 and fixpathinfo = 0
for eg http://flow3.denkweite.de/AOPBrowser/Ajax/getComponentList it is
AOPBrowser/Ajax/getComponentList
in both versions. But i have to change the htaccess-rule from
          RewriteRule ^(.*)$ index.php/$1
to
         RewriteRule ^(.*)$ index.php?/$1
to make it work. (http://codeigniter.com/forums/viewthread/55620/#273798 - i'm not hosting on dreamhost)
         > a var_dump of $_SERVER
         Array
              [PATH] => /usr/local/bin:/usr/bin:/bin
              [DOCUMENT_ROOT] => /www/159823_33824/webseiten/feinbier/flow3
              [HTTP\_ACCEPT] => text/xml, application/xml, application/xhtml+xml, text/html; q=0.9, text/plain; q=0.8, image/png, */*; q=0.5, text/plain; q=0.8, image/png, */*; q=0.8, image/png, */*;
              [HTTP\_ACCEPT\_CHARSET] => ISO-8859-1,utf-8;q=0.7,*;q=0.7
              [HTTP_ACCEPT_ENCODING] => gzip,deflate
              [HTTP_ACCEPT_LANGUAGE] => de-de,de;q=0.8,en-us;q=0.5,en;q=0.3
              [HTTP_CACHE_CONTROL] => no-cache
              [HTTP_CONNECTION] => keep-alive
              [HTTP HOST] => flow3.denkweite.de
              [HTTP KEEP ALIVE] => 300
```

2015-08-03 2/4

[HTTP_USER_AGENT] => Mozilla/5.0 (X11; U; Linux i686; de; rv:1.8.1.12) Gecko/20080207 Ubuntu/7.10 (gutsy) Firefox/2.0.0.12

```
[PDFLIBRESOURCE] => /usr/local/fonts/pdflib.upr
     [REMOTE\_ADDR] => xxx.xxx.xxx.xxx
     [REMOTE_PORT] => 41663
     [SCRIPT_FILENAME] => /www/.../flow3/info.php
     [SCRIPT_URI] => http://flow3.denkweite.de/info.php
     [SCRIPT URL] => /info.php
     [SERVER_ADDR] => xx.xx.xx.xx
     [SERVER_ADMIN] => webmaster@xyz.de
     [SERVER_NAME] => flow3.denkweite.de
     [SERVER_PORT] => 80
     [SERVER_SOFTWARE] => Apache/1.3 (Unix) mod_ssl/2.8.28 OpenSSL/0.9.8f AuthPG/1.3 FrontPage/5.0.2.2635
     [SWFFONTPATH] => /usr/lib/libswf/fonts/
     [UNIQUE ID] => R9@3MX8AAAEAACvrDAI
     [GATEWAY INTERFACE] => CGI/1.1
     [SERVER_PROTOCOL] => HTTP/1.1
     [REQUEST METHOD] => GET
     [QUERY_STRING] =>
     [REQUEST_URI] => /info.php
     [SCRIPT_NAME] => /info.php
     [DOCROOT] => /www/.../flow3
     [DOC_ROOT] => /www/.../flow3
     [PHPRC] => ./:/etc/php.ini/5/159823/666301:/etc/php.ini/5/159823:/usr/local/php5
     [PHP_SELF] => /info.php
     [REQUEST_TIME] => 1205843761
     [argv] => Array
     [argc] \Rightarrow 0
I think the 'context' is a second, different bug, isnt it? On the same server i make it work to change the context to 'Testing'
   $framework = new T3_FLOW3('Testing');
   $framework->run();
```

#3 - 2008-03-18 19:33 - Michael Feinbier

Hm is it not possible to edit own comments? :-(

So could you do me a favour an delete some infos from the _server dump which i think arent needed.

[HTTP_COOKIE]

[SERVER_ADDR] and

 $[{\sf REMOTE_ADDR}] \ are \ values, \ that \ dont \ have \ to \ be \ public \ like \ this \ ;-) \ i \ forgot \ editing \ that.$

Thanks!

#4 - 2008-03-20 08:07 - Robert Lemke

- Status changed from Needs Feedback to Resolved
- Target version set to 18

2015-08-03 3/4

The context is not a bug. The point is that caching is disabled in 'Testing' context and therefore the problem doesn't occur. I'd say it's resolved until someone else experiences problems again.

#5 - 2008-07-01 15:33 - Robert Lemke

- Target version deleted (18)

2015-08-03 4/4