TYPO3.Fluid - Feature # 4207

Description			
Subject:	Make action argument optional in ActionViewHelpers		
Has patch:			
Updated:	2010-10-20	Due date:	
Created:	2009-08-10	Assigned To:	Bastian Waidelich
Author:	Jeff Segars	Category:	
Status:	Resolved	Priority:	Should have

The action view helpers for links and URIs both require the action argument. These view helpers may be used to generate links within the same action and templates may be shared across actions via partials. Thus, it would be helpful for the action to be an option argument like the controller and other arguments.

History

#1 - 2009-08-10 01:37 - Jeff Segars

- File 4207.diff added

#2 - 2009-08-14 12:39 - Jochen Rau

- Status changed from New to Accepted

- Assigned To set to Bastian Waidelich

Hi Bastian. Could you please take care of this issue?

#3 - 2009-08-31 10:16 - Bastian Waidelich

Hi Jeff,

sorry for the delay, the optional action argument makes perfect sense!

Only, there is an "issues" with that:

If I'd leave away the action argument, I'd expect the resulting URI not to contain the action at all, resulting in a call to the configured *default* action of the current plugin..

Actually, that's how I just implemented it for the formViewHelper and Uri-/Link-ActionViewHelpers in http://forge.typo3.org/attachments/1553/3981 tx fluid adjustments v1.patch

If we want it to work the way you describe (no action -> use the current action) we'd need to modify the UriBuilder: From:

```
if ($actionName !== NULL) {
    $controllerArguments['action'] = $actionName;
}
```

.

To:

```
if ($actionName !== NULL) {
    $controllerArguments['action'] = $actionName;
}
```

} else {

}

But I'm not sure if that really makes sense.. In the end you'd want to use the action link to create links to *different* actions? Please correct me, if I'm missing something.

#4 - 2009-09-04 18:10 - Bastian Waidelich

- Status changed from Accepted to Resolved

- % Done changed from 0 to 100

Since r1180 action argument of action viewhelpers is optional.

If action is not specified, it won't appear in the resulting URI thus linking to the default action of the specified controller.

#5 - 2009-09-04 18:20 - Jeff Segars

Hey Bastian,

For some reason I didn't get a notification on your first reply. Sorry for now responding sooner.

In my case, I'm using partials and a page browser view helper to display the same results from several different actions. When I navigate through the page browser, it makes sense to keep the current action, no matter what that action is. Perhaps I can address this by assigning a variable for the current action rather than leaving it out completely.

For most cases, your solution certainly makes more sense.

Thanks,

Jeff

#6 - 2009-09-04 18:54 - Bastian Waidelich

Jeff Segars wrote:

Hey Jeff,

Sorry for now responding sooner.

No problem.

In my case, I'm using partials and a page browser view helper to display the same results from several different actions.

I see. It might work to set the action explicitly in your page browser view helper then.. Something like:

```
public function render(..., $action = NULL, ...) {
```

```
if ($action === NULL) {
```

\$request = \$this->controllerContext->getRequest();

\$action = \$request->getControllerActionName();

Perhaps I can address this by assigning a variable for the current action rather than leaving it out completely.

That's another solution. You can pass arguments to the partial like this:

<f:render partial="foo" arguments="{action: 'bar'}" />

For most cases, your solution certainly makes more sense.

Well, I've discussed it with Sebastian and Jochen and they think the same.

Thanks for the feedback

#7 - 2009-10-21 17:52 - Bastian Waidelich

- Project changed from Extbase MVC Framework to TYPO3.Fluid

- Category deleted (432)

Files

4207.diff

2.4 kB 2009-08-10

Jeff Segars