TYPO3.Flow - Feature # 42169

Status: Resolved Priority: Should have

Author: Thomas Hempel Category: I18n

Created: 2012-10-19 Assigned To: Karsten Dambekalns
Updated: 2012-10-31 Due date:

PHP Version:

Has patch: Yes
Complexity: easy

Subject: Use named indexes for placeholders in translation labels

Description

Right now you can replace placedholders in translations like this:

<f:translate key="myKey" arguments="{0:'foo', 1:'bar'}" />

The key would look like this:

This is my awesome {0}Key that displays some {1}Value

The result would be:

This is my awesome fookey that displays some barValue.

So far so good. Now it would be better to actually give that placeholders a name because that makes it much easier to understand the translations.

Something like:

Template:

<f:translate key="myKey" arguments="{keyName:'foo', valueName:'bar'}" />

Translation:

This is my awesome {keyName}Key that displays some {valueName}Value

Associated revisions

Revision 71318ee5 - 2012-10-25 13:39 - Thomas Hempel

[BUGFIX] Support named indexes in multivalue translation labels

Change-Id: I0fd49bfe92695d1672f0b284dc26ad66954be429

Resolves: #42169 Releases: 1.2

History

#1 - 2012-10-19 12:48 - Thomas Hempel

2015-08-03 1/2

https://review.typo3.org/#/c/15809/

#2 - 2012-10-20 20:07 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 3 for branch **master** has been pushed to the review server.

It is available at http://review.typo3.org/15809

#3 - 2012-10-25 13:39 - Gerrit Code Review

Patch set 4 for branch **master** has been pushed to the review server.

It is available at http://review.typo3.org/15809

#4 - 2012-10-31 17:35 - Thomas Hempel

- Status changed from Under Review to Resolved
- % Done changed from 0 to 100

Applied in changeset commit:71318ee5819bc78a04d2c632774ac0abb13b946f.

2015-08-03 2/2