

TYPO3.Flow - Task # 42550

Status:	Under Review	Priority:	Should have
Author:	Karsten Dambekalns	Category:	
Created:	2012-10-31	Assigned To:	Karsten Dambekalns
Updated:	2012-12-11	Due date:	
Sprint:			
PHP Version:			
Has patch:	No		
Complexity:			
Subject:	Add top-level .htaccess to block everything but Web		
Description			
<p>Although we ask to use Web as document root, that is often not done and/or possible (think about the practice of default host setups like pXXX.server.tld being hardwired to the top level folder for many hosters). So people feel safe because they added a vhost pointing to Web, but don't think about that default host.</p> <p>Should we add a .htaccess file to the top level that allows access only to Web? Please vote and/or discuss!</p>			

History

#1 - 2012-10-31 12:41 - Karsten Dambekalns

Two ways to do this so far.

Simple, but affecting two files

```
.htaccess
Order Deny,Allow
Deny from all
```

```
Web/.htaccess
...
Allow from all
```

Complex, only one file affected

```
.htaccess
SetEnvIf Request_URI /Web/ ispublic=1
Order Deny,Allow
Deny from all
Allow from env=ispublic
```

#2 - 2012-10-31 13:42 - Bastian Waidelich

Karsten Dambekalns wrote:

| *Two ways to do this so far.*

I'd prefer the simple solution with two files and w/o environment variables (which are not supported on several shared hosters)

#3 - 2012-10-31 13:46 - Adrian Förder

yep, agree the simple variant too, and since Web/ has an htaccess already, two files are **affected**, but only one new is introduced...

#4 - 2012-10-31 14:07 - Karsten Dambekalns

Agreed. Also, the complex variant doesn't even work - it blocks as soon as Web is used as doc root as intended, because then there's no Web in the request URI... :)

#5 - 2012-10-31 14:12 - Karsten Dambekalns

- Subject changed from Add top-level .htaccess to block everything but Web to Add top-level .htaccess to block everything but Web

#6 - 2012-10-31 14:13 - Gerrit Code Review

- Status changed from Needs Feedback to Under Review

Patch set 1 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/16078>

#7 - 2012-10-31 14:14 - Karsten Dambekalns

- Target version set to 2.0

#8 - 2012-10-31 14:21 - Robert Lemke

Although we ask to use Web as document root, that is often not done and/or possible (think about the practice of default host setups like pXXX.server.tld being hardwired to the top level folder for many hosters). So people feel safe because they added a vhost pointing to Web, but don't think about that default host.

Should we add a .htaccess file to the top level that allows access only to Web? Please vote and/or discuss!

+1 for the idea.

I don't have time this week to check the actual .htaccess implementation but if it works fine without bad side effects for people who set up Flow the right way, that's fine.

#9 - 2012-12-11 22:43 - Karsten Dambekalns

- Target version deleted (2.0)