Status:	Resolved	Priority:	Must have
Author:	Hauke Hain	Category:	User registration
Created:	2009-08-30	Assigned To:	Martin Helmich
Updated:	2010-10-20	Due date:	

TYPO3 Version:

Subject: Userregistration: mail cannot be sent

Description

Since userfiels are used in the mm_forum extension no user gets a registration mail anymore.

This is because in mm_forum\pi2\class.tx_mmforum_pi2.php \$this->data is \$this->piVars['reg'] and the email value cannot be found within "reg" anymore.

If you still have the email field as a userfield you can find it in \$this->piVars['userfields'];

To solve this issue you should add the following function

```
* Returns the uid of the first userfield which uses the email-database field
      * @return int the uid of the email userfiels, if no one found it returns 0
      function getUserfieldEMailUID() {
       $res = $GLOBALS['TYPO3_DB']->exec_SELECTquery(
          'tx mmforum userfields',
           'deleted=0',
           ",'sorting DESC'
      );
      if($GLOBALS['TYPO3_DB']->sql_num_rows($res)>0) {
        while($arr = $GLOBALS['TYPO3_DB']->sql_fetch_assoc($res)) {
         if (!(strpos($arr['config'], 'datasource = email') === FALSE)) {
          return intval($arr['uid']);
         }
      }
      return 0;
Replace
   $this->data['email']
in function sendEmail() / t3lib_div::plainMailEncoded
with
   $this->piVars['userfields'][$this->getUserfieldEMailUID()]
```

2015-08-04 1/3

and you are done.

Associated revisions

Revision 4489 - 2007-01-04 15:14 - Dmitry Dulepov

Fixed bug 4395: Specified key was too long; max key length is 1000 bytes

Revision 24148 - 2009-09-08 19:03 - Martin Helmich

Fixed #4395.

Revision a9aa6986 - 2009-09-08 19:03 - Martin Helmich

Fixed #4395.

git-svn-id: https://svn.typo3.org/TYPO3v4/Extensions/mm_forum/trunk@24148_735d13b6-9817-0410-8766-e36946ffe9aa

History

#1 - 2009-08-30 16:56 - Hauke Hain

- Assigned To set to Martin Helmich
- % Done changed from 50 to 70

I changed the function to be used with any fe_users field:

Please use this function instead:

```
/**
* Returns the uid of the first userfield which uses the given database field
* @return int the uid of the found userfiels, if no one found it returns 0
*/
function getUserfieldUID($fe_users_field) {
 $res = $GLOBALS['TYPO3_DB']->exec_SELECTquery(
    'tx_mmforum_userfields',
    'deleted=0',
    ",'sorting DESC'
);
if(\$GLOBALS['TYPO3\_DB']->sql\_num\_rows(\$res)>0)\ \{
  while($arr = $GLOBALS['TYPO3_DB']->sql_fetch_assoc($res)) {
   if (!(strpos($arr['config'], 'datasource = ' . $fe_users_field) === FALSE)) {
    return intval($arr['uid']);
   }
  }
```

2015-08-04 2/3

```
return 0;
```

#2 - 2009-09-08 20:01 - Martin Helmich

- Status changed from New to Resolved
- % Done changed from 70 to 100

Applied in changeset r24148.

#3 - 2009-09-08 21:16 - Hauke Hain

Doesn't work.

 $\label{this-validation} $$ this-> validation Email Receipient returns NULL. $$$

2015-08-04 3/3