

## TYPO3.Flow - Bug # 4441

<b>Status:</b>	Resolved	<b>Priority:</b>	Should have
<b>Author:</b>	Bastian Waidelich	<b>Category:</b>	MVC
<b>Created:</b>	2009-09-03	<b>Assigned To:</b>	Karsten Dambekalns
<b>Updated:</b>	2010-10-20	<b>Due date:</b>	
<b>PHP Version:</b>			
<b>Has patch:</b>			
<b>Complexity:</b>			
<b>Affected Flow version:</b>			
<b>Subject:</b>	Route does not correctly replace domain objects in resolve()		
<b>Description</b>			
<p>At the end of \F3\FLOW3\MVC\Web\Routing\Route::resolve() remaining objects are transformed into respective UUIDs. But there are two issues with that:</p>			
<b>1. values are replaced directly instead of creating an array:</b>			
<pre>\$route-&gt;resolves(array('someObject' =&gt; \$someObject));</pre>			
<p>expected: ?someObject[__identity]=XXXX-XXXX-XXXX-XXXX actual: ?someObject=XXXX-XXXX-XXXX-XXXX</p>			
<p>-</p>			
<b>2. This does not work for multi dimensional arrays:</b>			
<pre>\$route-&gt;resolves(array('foo' =&gt; array('someObject' =&gt; \$someObject)));</pre>			
<p>expected: ?foo[someObject][__identity]=XXXX-XXXX-XXXX-XXXX actual: <i>Exception(!)</i></p>			
<p>-</p>			
<p>This might be a chance to <i>forwardport</i> something from extbase. There we have</p>			
<pre>protected function convertDomainObjectsToIdentityArrays(array \$arguments) {     foreach (\$arguments as \$argumentKey =&gt; \$argumentValue) {         if (\$argumentValue instanceof Tx_Extbase_DomainObject_AbstractEntity) {             \$arguments[\$argumentKey] = array('uid' =&gt; \$argumentValue-&gt;getUid());         } elseif (is_array(\$argumentValue)) {             \$arguments[\$argumentKey] = \$this-&gt;convertDomainObjectsToIdentityArrays(\$argumentValue);         }     }     return \$arguments; }</pre>			
<p>in the new UriBuilder.</p>			

Patch follows

---

## Associated revisions

### Revision b670a278 - 2009-09-07 16:30 - Karsten Dambekalns

[+BUGFIX] FLOW3 (MVC): resolve() in Router now handles (nested) domain objects correctly, fixes #4441.

---

## History

### #1 - 2009-09-03 20:36 - Bastian Waidelich

- File 4441\_Route\_does\_not\_correctly\_replace\_domain\_objects\_in\_resolve.patch added
- Status changed from New to Needs Feedback
- Assigned To changed from Bastian Waidelich to Robert Lemke

Attached patch seems to fix the issues.

@Robert: Please validate the patch and commit if applicable.

### #2 - 2009-09-04 16:33 - Bastian Waidelich

- File 4441\_Route\_does\_not\_correctly\_replace\_domain\_objects\_in\_resolve\_v2.patch added

The provided patch "4441\_Route\_does\_not\_correctly\_replace\_domain\_objects\_in\_resolve\_v2.patch" tweaks the error message that is displayed if objects without identity are passed to the resolves() method.

### #3 - 2009-09-04 17:04 - Bastian Waidelich

Bastian Waidelich wrote:

| *The provided patch [...] tweaks the error message [...]*

Damn it, the error message still contains a typo.. Dear comitter please fix ;)

### #4 - 2009-09-07 16:08 - Karsten Dambekalns

- Status changed from Needs Feedback to Accepted
- Assigned To changed from Robert Lemke to Karsten Dambekalns
- Target version set to 1.0 alpha 4

### #5 - 2009-09-07 17:00 - Karsten Dambekalns

- Status changed from Accepted to Resolved
- % Done changed from 0 to 100

Applied in changeset r3134.

---

## Files

4441\_Route\_does\_not\_correctly\_replace\_domain\_objects\_in\_resolve.patch 4kB  
4441\_Route\_does\_not\_correctly\_replace\_domain\_objects\_in\_resolve\_v2.patch 4kB

2009-09-03  
2009-09-04

Bastian Waidelich  
Bastian Waidelich