

TYPO3.Flow - Feature # 44738

Status:	New	Priority:	Must have
Author:	Marco Falkenberg	Category:	Validation
Created:	2013-01-23	Assigned To:	
Updated:	2013-01-23	Due date:	
PHP Version:			
Has patch:	No		
Complexity:			
Subject:	Re-Validation of argument's custom validators		
Description			
<p>There are situation where the automatic validation of arguments, that happens BEFORE passing the arguments to the action-method, is not enough. The validation should be able to be reactivated in the controller-action. E.g if you do some business logic inside the action.</p> <p>A very simple and common example, is where you want to validate an item after adding some sub-items to it:</p> <pre>public function addChildAction(Parent \$parent, Child \$child) { \$parent->addChild(\$child); \$this->revalidateArguments(); }</pre> <pre>class BadNameChoiceValidator extends \TYPO3\Flow\Validation\Validator\GenericObjectValidator { protected function isValid(\$parent) { foreach(\$parent->getChilids() as \$child) { if(\$parent->lastName === 'Walker' && \$child->firstName === 'Johnny') { \$this->addError('Name is to alcoholic!', 1357116916); } } } }</pre>			
<p>Thus the ValidatorInterface should have a reset-method. E.g. the ObjectValidator could reset its validatedInstancesContainer there.</p>			

History