### Core - Feature # 44779

Epic # 61834 (Accepted): Create future proof Content Element with strong default

Task # 61836 (Accepted): Reorganize Content Element properties within backend Extension

Task # 61842 (New): Refactor CSS-Styled-Content + Content Elements

Status: Resolved Priority: Must have

Author:Patrick CrausazCategory:Created:2013-01-24Assigned To:Updated:2014-12-18Due date:

PHP Version:
Complexity:
Sprint Focus:

Subject: No css\_styled\_content on content element TABLE

## **Description**

Not able to configurate any HTML tag of a table content element with typoscript.

You can add a class to if you set it to the flexform, but only one class. Two classes won't pass the validation.

In css\_styld\_content points an userFunc to tx\_cssstyledcontent\_pi1->render\_table where the configuration is taken from pi\_flexform field.

This is very unflexible, because if I want to change something on a table, I have to write an extension to overwrite the pi\_flexform value of that content element. other elements are rendered with typoscript, not with userFunc.

#### Related issues:

related to Core - Bug # 55470: CE Table does not allow multiple css classes Resolved 2014-01-30

#### History

### #1 - 2013-01-25 21:39 - Oliver Hader

- Status changed from New to Needs Feedback

Looks like you're talking about two different issues, right?

The "Additional CSS Class" issue can be confirmed, since the input field in the backend removes whitespace (to be fixed in TCA "eval" part).

Concerning the Flexform thingy, I'd like to ask you to add an example of TypoScript to see, what you're aiming for. Thanks

### #2 - 2013-01-25 21:40 - Oliver Hader

- Subject changed from No css\_styled\_content on tables to No css\_styled\_content on content element TABLE

#### #3 - 2013-02-01 08:23 - Patrick Crausaz

The thing is that the content element TABLE is rendered by the userFunc tx\_cssstyledcontent\_pi1->render\_table (and there are hardcoded classed in this PHP function by the way...)

So you cannot configurate anything about the table.

If for example you want to change something of the content element Image or Text, you just overwrite the css\_styled\_content typoscript.

 $Look\ at\ "tt\_content.stdWrap.innerWrap.cObject.default"$ 

- If I dont want my text is rendered with id="anything" I will overwrite it here.
- If I want my Image is rendered with span instead of div, I overwrite it.
- If I want to change anything about my table markup, I go to "typo3/sysext/css\_styled\_content/pi1/class.tx\_cssstyledcontent\_pi1.php" and do my own PHP. And I need to do it again in any TYPO3 update.

2015-08-04 1/2

# #4 - 2013-07-08 09:11 - Alexander Opitz

- Status changed from Needs Feedback to New

# #5 - 2014-09-24 12:33 - Felix Kopp

- Parent task set to #61842

# #6 - 2014-12-18 13:13 - Georg Ringer

- Status changed from New to Resolved

resolved with #55470

whitespace not trimmed anymore

2015-08-04 2/2