# **TYPO3.Flow - Bug # 45463**

Status:	Resolved	Priority	Should have
Author:	Karsten Dambekalns	Priority:	
Author: Created:	2013-02-13	Category: Assigned To:	MVC - Routing Bastian Waidelich
Updated:	2013-02-13	Due date:	Bastian Waldelich
PHP Version:	2013-03-20	Due date.	
Has patch:	No		
Complexity:	NO		
Affected Flow version	Git master		
Subject:	Routing includes object arguments eve	n though it should not	
Description	The angle of the a		
Given this route as the o	only active route:		
-			
name: 'foo'			
uriPattern: 'foo(/{@action})'			
defaults:			
'@package': 'Acme.Demo'			
'@controller': 'Foo'			
'@action': 'index'			
and a controller with this action:			
/**			
	emo\Domain\Model\Foo \$foo		
* @param string \$b	ar		
*/			
public function removeBarAction(Foo \$foo, \$bar) {}			
The following all works fine and results in a link being built (foo is an object):			
<f:link.action action="removeBar" arguments="{foo: foo}"></f:link.action>			
<f:link.action action="removeBar" arguments="{xyz: foo}"> <f:link.action action="removeBar" arguments="{foo: foo, bar: foo}"></f:link.action></f:link.action>			
<t:iink.action action="&lt;/td"><td>eremoveBar arguments="{foo: foo, bar</td><td>100}"&gt;</td><td></td></t:iink.action>	eremoveBar arguments="{foo: foo, bar	100}">	
But this does not work (	bar is a string).		
	e"removeBar" arguments="{foo: foo, bar	har}">	
The following happens inside the router:			
https://www.evernote.co	om/shard/s55/sh/f3c49923-52d3-463e-8-	48c-d68af1dbb17b/0e0c	1426437d6808ba8f129a752760b6/res/6d01d
ce-dae0-49f1-b42e-02f6			
		34-7e6d8ac32e5a/b845	336fc44919f417b5c4aaf4fef2e0e/res/9baba34
-c2ed-4474-86fe-49c59			
	· -		
So the arguments that a	are <i>objects</i> are considered internal, beca	use there <u>is involved</u>	

## Associated revisions

Revision 85ceb84e - 2013-02-26 11:30 - Bastian Waidelich

[BUGFIX] Routing includes object arguments even though it should not

Route::resolve() considered "\_\_identity" arguments as internal and ignored them, if they were not part of the respective Route defaults or uriPattern. This change fixes this by only iterating through sub requests (marked with a "--")

Change-Id: I63d3c302524f832224bf0fdc7a6255cb631d16c8 Fixes: #45463 Releases: master, 2.0

#### Revision 890fda2e - 2013-03-20 16:24 - Bastian Waidelich

[BUGFIX] Routing includes object arguments even though it should not

Route::resolve() considered "\_\_identity" arguments as internal and ignored them, if they were not part of the respective Route defaults or uriPattern. This change fixes this by only iterating through sub requests (marked with a "--")

Change-Id: I63d3c302524f832224bf0fdc7a6255cb631d16c8 Fixes: #45463 Releases: master, 2.0

#### History

## #1 - 2013-02-15 13:58 - Bastian Waidelich

- Status changed from New to Accepted

### #2 - 2013-02-15 14:53 - Gerrit Code Review

- Status changed from Accepted to Under Review

Patch set 1 for branch **master** has been pushed to the review server. It is available at <u>https://review.typo3.org/18302</u>

## #3 - 2013-02-25 14:42 - Gerrit Code Review

Patch set 2 for branch **master** has been pushed to the review server. It is available at <u>https://review.typo3.org/18302</u>

#### #4 - 2013-02-26 11:30 - Gerrit Code Review

Patch set 3 for branch **master** has been pushed to the review server. It is available at <u>https://review.typo3.org/18302</u>

#### #5 - 2013-03-20 16:25 - Gerrit Code Review

Patch set 1 for branch **2.0** has been pushed to the review server. It is available at https://review.typo3.org/19092

# #6 - 2013-03-20 16:37 - Bastian Waidelich

- Status changed from Under Review to Resolved
- % Done changed from 0 to 100

Applied in changeset commit:890fda2e46eb3c3eb7147c3f985f847a65e03124.