

TYPO3.Fluid - Bug # 46289

| | | | |
|-------------------------------|---|---------------------|-------------|
| Status: | Needs Feedback | Priority: | Should have |
| Author: | Tim Kandel | Category: | View |
| Created: | 2013-03-14 | Assigned To: | |
| Updated: | 2013-08-14 | Due date: | |
| Has patch: | No | | |
| Affected Flow version: | Git master | | |
| Subject: | Enable Escaping Interceptor in XML request format | | |
| Description | The Escaping Interceptor should be enabled if the request format is XML. As of now this is only done in HTML. | | |

History

#1 - 2013-03-14 17:24 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/18911>

#2 - 2013-03-14 17:28 - Bastian Waidelich

- Status changed from Under Review to Needs Feedback

I don't think that's required, see comment at <http://forge.typo3.org/issues/46288#note-2>

#3 - 2013-03-14 18:40 - Helmut Hummel

Bastian Waidelich wrote:

| I don't think that's required, see comment at <http://forge.typo3.org/issues/46288#note-2>

See my comment <http://forge.typo3.org/issues/46288#note-3>

;))

#4 - 2013-08-14 15:35 - Karsten Dambekalns

- Target version changed from 2.0 to 2.0.1