

Core - Task # 47455

Status:	Resolved	Priority:	Should have
Author:	Anja Leichsenring	Category:	
Created:	2013-04-22	Assigned To:	Anja Leichsenring
Updated:	2013-04-29	Due date:	
TYPO3 Version:	6.1		
PHP Version:			
Complexity:			
Sprint Focus:			
Subject:	Separate DB TYPO3_CONF_VARS settings host and port		
Description	<p>The [db][host] setting can contain a hostname, followed by a colon and a port. This was ok with mysql, as it accepted host and port in one parameter.</p> <p>With the switch to mysqli, host and port must be given as single parameters, forcing the core to split host and port. This can fail especially if the host is an ipv6 address.</p>		
Related issues:	related to Core - Bug # 48117: Mysql Socket connection fails.		
		Resolved	2013-05-12

Associated revisions

Revision ce5b4d1d - 2013-04-29 20:59 - Anja Leichsenring

[TASK] Introduce \$GLOBALS['TYPO3_CONF_VARS']['DB']['port']

The [db][host] setting can contain a hostname, followed by a colon and a port. This was ok with mysql, as it accepted host and port in one parameter.

With the switch to mysqli, host and port must be given as single parameters, forcing the core to split host and port. This can fail especially if the host is an ipv6 address.

In order to separate this in a better way, the new "port" parameter in TYPO3_CONF_VARS DB is introduced. If set, the host will not be splitted by colon anymore, but host and port setting will be used as given.

Resolves: #47455

Releases: 6.2, 6.1

Change-Id: I3096d166e574d9b6045ac92ed3dc8b2c48ef94d2

Reviewed-on: <https://review.typo3.org/20093>

Reviewed-by: Daniel Hürtgen

Reviewed-by: Jigal van Hemert

Tested-by: Jigal van Hemert

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

Revision e5545942 - 2013-04-29 21:09 - Anja Leichsenring

[TASK] Introduce \$GLOBALS['TYPO3_CONF_VARS']['DB']['port']

The [db][host] setting can contain a hostname, followed by a colon and a port. This was ok with mysql, as it accepted host and port in one parameter.

With the switch to mysqli, host and port must be given as single parameters, forcing the core to split host and port. This can fail especially if the host is an ipv6 address.

In order to separate this in a better way, the new "port" parameter in TYPO3_CONF_VARS DB is introduced. If set, the host will not be splitted by colon anymore, but host and port setting will be used as given.

Resolves: #47455

Releases: 6.2, 6.1

Change-Id: I3096d166e574d9b6045ac92ed3dc8b2c48ef94d2

Reviewed-on: <https://review.typo3.org/20321>

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

History

#1 - 2013-04-22 22:34 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/20093>

#2 - 2013-04-22 22:37 - Gerrit Code Review

Patch set 2 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/20093>

#3 - 2013-04-22 22:51 - Gerrit Code Review

Patch set 3 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/20093>

#4 - 2013-04-22 22:53 - Gerrit Code Review

Patch set 4 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/20093>

#5 - 2013-04-29 18:23 - Gerrit Code Review

Patch set 5 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/20093>

#6 - 2013-04-29 21:09 - Gerrit Code Review

Patch set 1 for branch **TYPO3_6-1** has been pushed to the review server.

It is available at <https://review.typo3.org/20321>

#7 - 2013-04-29 21:30 - Anja Leichsenring

- *Status changed from Under Review to Resolved*

- *% Done changed from 0 to 100*

Applied in changeset commit:e55459429728d4b4eac1b9b8b552362cba12b4b7.