Core - Bug # 47746

Status:	Closed	Priority:	Should have	
Author:		-	Install Tool	
Author: Created:	Andreas Becker (Andi)	Category:		
Updated:	2013-04-30 2013-09-12	Assigned To: Due date:	Oliver Hader	
TYPO3 Version:	6.1	Due date:		
	5.3			
PHP Version:				
Complexity:	medium			
Is Regression:	No			
Sprint Focus:		much to complicated and have		
Subject:	Converting 4.7 sites to 6.1 sites	much to complicated and brea	king - white pages in install tool	
Description				
follows an unlogical of the localconf.php i.e. localConfiguration.ph You skip the 123 prod Now you can create a	order of steps, even when you try to rename it. Than TYPO3 thinks there p file.	call the Install Tool. The ONLY e is no localconf and will try to i	xtensions it is leading to white pages and way to get it working sufficiently is to disable nstall a new site and new	
Bug #47738				
Now you need to ente	er your db details.			
	w be changed also in All Configurat thout DB Typo3 won't work - so it is		e bottom - This point should be the first point	
With the next reload y	you will get a complete white page a	and inaccessible system.		
You have no way to g	get to the screen to choose to enter	your DB - best do it manually v	vith an editor in localConfiguration.php	
You need to clear typ	o3temp folder completely - remove	and make it new setting the rig	ht permissions is fastest way.	
Now you can access	again the install tool.			
Unfortunately it will sl	now you again a white screen.			
typo3/install/index.ph	p?TYPO3_INSTALL[type]=config			
This is even you have Check Bug #47730	re only the standard default extensions and none of your extensions installed!			
	nember function fetch_object() on a 3/sysext/core/Classes/Database/Da	-	1289	
even your front and b Bug #47744	ackend of the site is working			
a solution is to chang	e the word "config" to "about" and w	vow - the installtool will show up	Э.	

typo3/install/index.php?TYPO3_INSTALL%5Btype%5D=about

Now you can perform the Upgrade Wizard which is in Menu at 4th place but should actually be on FIRST place after an Upgrade IMHC Task #47729

If you will do a database compare usually your compare will time out!!!

Solution is to perform the upgrade wizard first or to perform the update after an database compare in many smaller parts.

we recommend doing /index.php?TYPO3_INSTALL[type]=update first:

It will ask you to change the version from 3.8 to 6.1 - it is telling 3.8 as it had no previous localconf file anymore as this did not work at all for the upgrade.

Than it is switching forth and back between step 2 and 3 which is complete unlogical as if people in TYPO3 can't count! Why not name it 1 2 3 4 5 6 etc. This would also be much easier to communicate to people when something went wrong! Bug #47732

By default TYPO3 is trying to force you to install the following extensions which should NOT be checked by default!

Frontend Editing User>Open Documents Recycler Scheduler Simulate Static URLs (which will bring you in conflict with all those people who actually are running cooluri and realURL!) Bug #47733

In the next point you get forced to install workspaces and versioning - no way around beside skipping the wizard. You have to install both by default as there is no option for installing i.e. only versioning. Bug #47734

This point should be removed from the installtool like the previous one for installing the system extensions.

When you go back to the install tool than again you get offered to install those useless extensions if you haven't used them in an existing site. They can be installed later!

We continue with point 3 in the list the FAL stuff and following

When you perform th elast point in th elist which is: Migrate all file relations from tt_content.image and pages.media don't get confused if it says: "

Migrate all file relations from tt_content.image and pages.media

Update successful!

It will ask you again to perform this update Bug #47736

We click manually on "Upgrade Wizard and than ignore all offered steps as those are steps which should not appear in an install tool or have already been performed.z

We choose the last step Final Step Compare Database

Here you will see that in the upgrade wizard was no step which actually created the last 3 missing tables

select/deselect all

CREATE TABLE sys_category (uid int(11) NOT NULL auto_increment, pid int(11) NOT NULL default '0', tstamp int(11) NOT NULL default '0', cruser_id int(11) NOT NULL default '0', deleted tinyint(4) NOT NULL default '0', hidden tinyint(4) NOT NULL default '0', starttime int(11) unsigned NOT NULL default '0', endtime int(11) unsigned NOT NULL default '0', t3ver_oid int(11) NOT NULL default '0', t3ver_id int(11) NOT NULL default '0', t3ver_wsid int(11) NOT NULL default '0', t3ver_label varchar(30) NOT NULL default '0', t3ver_state tinyint(4) NOT NULL default '0', t3ver_stage int(11) NOT NULL default '0', t3ver_count int(11) NOT NULL default '0', t3ver_tstamp int(11) NOT NULL default '0', t3ver_move_id int(11) NOT NULL default '0', t3_origuid int(11) NOT NULL default '0', sys_language_uid int(11) NOT NULL default '0', 110n_parent int(11) NOT NULL default '0', items int(11) NOT NULL, title tinytext NOT NULL, description text NOT NULL, parent int(11) NOT NULL default '0', items int(11) NOT NULL default '0', PRIMARY KEY (uid), KEY parent (pid), KEY t3ver_oid (t3ver_oid,t3ver_wsid));

CREATE TABLE sys_category_record_mm (uid_local int(11) NOT NULL default '0', uid_foreign int(11) NOT NULL default '0', tablenames varchar(255) NOT NULL default ', sorting int(11) NOT NULL default '0', sorting_foreign int(11) NOT NULL default '0', KEY uid_local_foreign (uid_local,uid_foreign), KEY uid_foreign_tablenames (uid_foreign,tablenames));

CREATE TABLE static_tsconfig_help (uid int(11) NOT NULL auto_increment, guide int(11) NOT NULL default '0', md5hash varchar(32) NOT NULL default ", description text, obj_string varchar(255) NOT NULL default ", appdata blob, title varchar(255) NOT NULL default ", PRIMARY KEY (uid), KEY guide (guide, md5hash));

Bug #47737

Performing a "write to database" might lead to a timeout

Solution: do it step by step and IMPORTANT create FIRST the still missing tables which have not been created by the Upgrade Wizard.

If you want to reactivate all your extensions you should delete NONE of them at this point.

Continue with configuring TYPO3

Don't click on Basic Configuration as it still leads you to a blank page at this point.

Check the image processing Do it as it will motivate you as it will work instantly especially if you have installed gm

Do in all Configuration all necessary steps like in former versions

Logging into Backend:

If you previously used rsa than you have to create a new user as the extension for this authentification methode won't be available for your first login!

After creating a new user you can start reinstalling your extensions

i.e. templavoila and framework for templaVoila 2.0.0a1 which is working in 6.1. You can later configure it to use the rendering mode of

version 1 via TYPOscript Unfortunately realurl, wecconfig, weccontentelements, is not working!

framework for templaVoila Version 1.* seems not to be working

If an Extensions leads to a blank page or similar deinstall it manually from localConfiguration file and additionally delete manually the typo3temp/Cache Folder as the link in Install Tool to delete the .temp files seems still to try to delete the now nonexisting .temp files in typo3conf.

Bug #47741

After Installing extensions you might get the following message "More information regarding this error might be available online." But there is usually no information but a blank page Bug #47742

After you have reinstalled the previous extensions

Hopefully enjoy 6.1

Related issues:

related to Core - Task # 47729: Upgrade Wizard in Install Tool at the wrong P	Closed	2013-04-30
related to Core - Bug # 47730: After update from 4.7 - White Page in Install	Resolved	2013-04-30
related to Core - Task # 47732: Upgrade Wizard: Headlines start with wrong nu	Resolved	2013-04-30
related to Core - Bug # 47733: Don't set extensions checked by default in Ins	Resolved	2013-04-30
related to Core - Bug # 47736: Migrate all file relations from tt_content.ima	Closed	2013-04-30
related to Core - Bug # 47738: Encryption Key could not get created in new site	Resolved	2013-04-30
related to Core - Task # 47740: Move \$TYPO3_CONF_VARS['DB'] to the TOP of All	Resolved	2013-04-30
related to Core - Bug # 47741: Cached files don't get deleted by install tool	Closed	2013-04-30
related to wiki.typo3.org - Bug # 47742: More information regarding this erro	Resolved	2013-04-30
related to Core - Bug # 47744: Fatal error: Call to a member function fetch_o	Resolved	2013-04-30
related to Core - Bug # 48138: Cannot connect to the current database	Resolved	2013-05-13
related to Core - Bug # 47737: 3 Tables don't get created by upgrade Wizard	Closed	2013-04-30

History

#1 - 2013-05-01 16:23 - Chris topher

- Status changed from New to Closed
- Assigned To set to Chris topher
- Target version deleted (6.1.1)
- Complexity set to nightmare

I am sorry, but whom do you expect to read all this? If I want to have a book, I buy a book.

Please have a look at how to report bugs. This nice text by Simon Tatham might help you. If you want to, you may now have the last words; I will close this issue now.

#2 - 2013-05-02 05:33 - Andreas Becker (Andi)

Hi Christopher

This is exactly the IGNORANCE of some people in the Core Team which brings more and more people away from TYPO3 incl. those who are already

If you can READ you can READ THIS!

It shows you exactly the way how those errors - a lot of errors - occurred and exactly this is what you were asking for in another thread. Ignoring such things won't bring any usability into TYPO3!

The only Thing what you have actually done right is setting the COMPLEXITY to NIGHTMARE as this is what it is the Install Tool in its current state is a night mare as it is a conglomerate of unstructured lines and tasks which often are numbered in a very unlogically!

Lese doch einfach einmal die Kommentare hier zu 6.1 http://t3n.de/news/typo3-cms-61-schicker-461627/

jm2c

Andi

#3 - 2013-05-02 05:49 - Andreas Becker (Andi)

The first aim of a bug report is to let the programmer see the failure with their own eyes. If you can't be with them to make it fail in front of them, give them detailed instructions so that they can make it fail for themselves.

- You can come here and I can show you and you show me how I can do it ;-) - or you READ the detailed instructions!

In case the first aim doesn't succeed, and the programmer can't see it failing themselves, the second aim of a bug report is to describe what went wrong. Describe everything in detail. State what you saw, and also state what you expected to see. Write down the error messages, especially if they have numbers in.

- This is exactly what we did here and we filled additional bug reports and named them in this bug report as it does not make sense to write down the whole sequence of how we achieved those errors in each single bug report again and again!

By all means try to diagnose the fault yourself if you think you can, but if you do, you should still report the symptoms as well.

- as you can READ in the text we analysed the problems ourself and gave even suggestions how to solve them so that other users who have similar problems can find solutions too. And there are others who already found those solutions helpful!

Be ready to provide extra information if the programmer needs it. If they didn't need it, they wouldn't be asking for it. They aren't being deliberately awkward. Have version numbers at your fingertips, because they will probably be needed.

- As you can see in the Bugs listed and linked in this Report about general usability of the Install Tool you will get immediate answers if you ask and need additional information.

Write clearly. Say what you mean, and make sure it can't be misinterpreted.

- I think the way we are following in setting up a standard TYPO3 site with an existing 4.7 database and only TemplaVoila Framework v 2.0.0a1 and realurl 1.12.4 installed is clear, understandable and can't be misinterpreted if you READ it! Ignoring the text won't give you any additional information Christopher as you don't READ what the user is writing - so how can you try to understand the way a user of TYPO3 is trying and failing to setup TYPO3 properly because of the way the Install Tool is structured?

Above all, be precise. Programmers like precision.

- Well I understand that programmers are different and some might not like this precision and detailed ways or is it because they don't like to READ or place a BOOK IN THEIR SHELFs!

Sorry to be so direct but ignorance won't solve those problems of the Install Tool!

#4 - 2013-05-03 07:50 - Georg Ringer

it is not ignorance but you can't fix those things all in one single commit/change, therefore it is just very hard or impossible to do it with one issue. that is all.

it is great that you collect bugs and report those but please use one issue for one bug/task. it is just like walking: step by step... if you won't to this, nobody will read it as there is just tooo much to do which touches too many areas at the same time ...

you can of course use an umbrella issue and all others as subissues

#5 - 2013-05-03 08:52 - Andreas Becker (Andi)

Well Georg

It is nothing else what I did - it is an umbrella issue which is even properly linked to all subissues. And if redmine has been installed properly it should actually also link back - unfortunately one field is missing - related issues where you could list all those sub issues to be linked properly back to the umbrella issue!

It does not make sense to list all the steps over and over again in 10 or more subissues in each single subissue. Nevertheless you need to read it to understand the steps and than you will find also all subissues. Closing the issue is the wrong approach as it means to ignore and not do anything to get things solved. Instead fill in a "UMBRELLA" marker and everyone knows it is an umbrella until all issues have been solved and than close this issue. Many of those problems exist since many versions and some even had been solved already but somehow came back i.e. the workspace versioning or the missing button at the last step!

Andi

#6 - 2013-05-13 14:42 - Oliver Hader

- Status changed from Closed to New

- Assigned To changed from Chris topher to Oliver Hader
- Complexity changed from nightmare to medium

Even if the initial bug report mixed several topics, it has valid remarks. Thus, I'm reopening the issue.

#7 - 2013-06-17 14:11 - Frank Gerards

@Chris Toper: You should really be nice to bug reporters or leave the core-team as this a valuable resource for 100s of TYPO3 developers out there. @Andi: Plz keep up the good effort and dont leave TYPO3 community due to some arrogant ppl working in open source projects **rolleyes**

#8 - 2013-06-17 15:45 - Chris topher

Hi Frank,

it always depends on who is asking and how. You can be assured that to others I respond differently.

#9 - 2013-09-12 17:02 - Christian Kuhn

- Status changed from New to Closed

- Is Regression set to No

Ok, I read through the technical part of this issue again.

I think a lot of issues are already solved in 6.2 (eg. the install tool does not "show whitepage" anymore but now reacts in a clever way).

It is great that the mentioned problems were already split to multiple single sub issues (many of those have also been fixed already).

This issue here is mostly only a collection / story of the smaller issues. I'll now close this one here again and will concentrate on the sub issues.