

Core - Bug # 48113

Status:	Resolved	Priority:	Must have
Author:	Flummi no-lastname-given	Category:	File Abstraction Layer (FAL)
Created:	2013-05-11	Assigned To:	
Updated:	2014-06-11	Due date:	
TYPO3 Version:	6.0		
PHP Version:	5.3		
Complexity:			
Is Regression:	No		
Sprint Focus:			
Subject:	typoscript FILES object always uses default language when accessing page resource images of translated images		
Description			
<p>When using images in page resources, the FILES typoscript object fails to use the translated version of these images - it allways uses the ones from the default language.</p> <p>For example we have a page in the default language which is translated in another language (i.E. in english, L=1). We have some images in "page->properties->resources" of the default language and also some images in the english language of this page. This all works well, but when we try to output the images of the page resource, the FILES object allways outputs the images of the default language page, even if we output the english page (but it should use the english images).</p> <p>This bug can be reproduced by the following typoscript:</p> <pre>page = PAGE page.10 = TEMPLATE page.10.subparts.TOPPICS = FILES page.10.subparts.TOPPICS { references { table = pages uid.data = leveluid:-1, slide fieldName = media } renderObj = COA renderObj { wrap = <div class="item"> </div> # output images 10 = IMAGE 10 { file.import.data = file:current:publicUrl altText.data = file:current:title } # output the description of the images 20 = TEXT 20 { data = file:current:description wrap = <div class="item-text"> </div> } } } config { # language Default linkVars = L</pre>			

```

uniqueLinkVars = 1
sys_language_mode = content_fallback
htmlTag_langKey = de
language = de
locale_all = de_DE.UTF-8
sys_language_uid = 0
}
[globalVar = GP:L = 1]
config {
    htmlTag_langKey = en
    language = en
    locale_all = en_EN.UTF-8
    sys_language_uid = 1
}
[global]

```

Then create a subpart "TOPPICS" in the template and add images in the page resource of the default language and the english one.

Related issues:

related to Core - Bug # 47869: Failed localization of FILES content object re...	Resolved	2013-05-03
related to Core - Bug # 58352: Invalid localization overlay of cObject FILES	Resolved	2014-04-30
related to Core - Bug # 65863: content_fallback / mergelfNotblank fails with ...	Under Review	2015-03-20

History

#1 - 2013-09-09 18:55 - Ernesto Baschny

- Status changed from New to Accepted
- Target version set to 6.2.0
- Is Regression set to No

Indeed this seem to be a reproducible bug.

It **might** turn out to be very tricky to fix it, as what used to be a simple text field (with the filenames) that was overwritten in the translation (pages_language_overlay) is now an IRRE field which holds M-N relations to sys_files.

But thanks for reporting and we'll try to get it fixed at least before 6.2 release.

#2 - 2013-09-10 14:27 - Tobias Gaertner

actually I think it has nothing to do with the TypoScript FILES Object, but with the way FAL handles the files or the way how TypoScript access FAL. Its also reproduceable with something like this:

```

10 = IMAGE
10 {
    file {
        import = uploads/media/
        import.field = media
    }
}

```

#3 - 2013-12-02 09:02 - Henrik Ziegenhain

Still reproducible with 6.0.11 - Are there any news or ideas how we can fix it?
In a multilang environment it is a nogo to output file title etc. in a wrong language.

#4 - 2014-04-07 17:12 - Marc Bastian Heinrichs

There is a patch in #47869

#5 - 2014-06-11 17:13 - Steffen Ritter

- *Status changed from Accepted to Resolved*