

TYPO3.Flow - Bug # 495

Status:	Resolved	Priority:	Should have
Author:	Karsten Dambekalns	Category:	Cache
Created:	2008-05-09	Assigned To:	Karsten Dambekalns
Updated:	2010-10-20	Due date:	
PHP Version:			
Has patch:			
Complexity:			
Affected Flow version:			
Subject:	memcached cache backend with multiple FLOW3 installations will fail		
Description			
<i>(as reported by Axel Hoogestraat)</i>			
The memcached backend (the filecache, as well) will not work properly, if there is more than on FLOW3 installation on a server.			
In F3_FLOW3.php, for example, there is the following code:			
<pre>\$componentConfigurationsCache->save('baseComponentConfigurations', \$componentConfigurations);</pre>			
The key 'baseComponentConfigurations' will be overwritten, if another FLOW3 installation will save the same key. But the configuration, that should be saved, could be different.			
So, a possible solution is to add an prefix to the key, i think. The prefix could be the installation path of FLOW3 or something like an ID, that is configured in the FLOW3 configuration.			

Associated revisions

Revision f4ade071 - 2008-05-09 17:13 - Karsten Dambekalns

Some work on Memcached cache backend:

- All identifiers are prefixed with an unique key, fixes #495
- Cleaned up the memcached backend testcase source, mostly cosmetics

History

#1 - 2008-05-09 17:13 - Karsten Dambekalns

- Status changed from Accepted to Resolved
- % Done changed from 0 to 100

Applied in changeset r820.