

## Base Distribution - Task # 50384

<b>Status:</b>	Resolved	<b>Priority:</b>	Must have
<b>Author:</b>	Aske Ertmann	<b>Category:</b>	
<b>Created:</b>	2013-07-24	<b>Assigned To:</b>	Christian Müller
<b>Updated:</b>	2013-10-15	<b>Due date:</b>	
<b>Subject:</b>	TypoScript page rendering restructuring		
<b>Description</b>			
<p>To have a more generic and extensible way of rendering documents (pages) in Neos we should restructure the TypoScript to follow the nature of the html tags being outputted</p>			
<p>Example:</p>			
<pre>page = Tag page.tagName = html page.head = Tag page.head.content = Array page.head.content.stylesheets = Array page.head.content.stylesheets.main = LinkTag page.head.content.stylesheets.main.tagName = link page.head.content.stylesheets.main.rel = stylesheet page.head.content.stylesheets.main.attributes.src = main.css page.head.content.scripts = Array page.body = Tag page.body.attributes.class = RawArray page.body.attributes.class.neos = neos page.body.attributes.class.customClass = custom-class page.body.content = Template</pre>			

### Associated revisions

Revision [1ce77a1f](#) - 2013-10-15 15:02 - Christian Müller

[!!!][TASK] Restructure page rendering for more flexibility

The page rendering now relies more on TypoScript to allow better possibilities to override parts of the page rendering without having to adapt a full template.

The rendering is structured like this now to have flexibility and at the same time not too deeply nested TypoScript paths

prototype(TYPO3.Neos:Page) now extends TYPO3.TypoScript:Array

The following properties can be adapted by integrators:

```
prototype(TYPO3.Neos:Page).doctype.value - full doctype string
prototype(TYPO3.Neos:Page).htmlTag - TYPO3.TypoScript:Tag
prototype(TYPO3.Neos:Page).headTag - TYPO3.TypoScript:Tag
```

prototype(TYPO3.Neos:Page).bodyTag - TYPO3.TypoScript:Tag

All three have the property "attributes" which is an array of attributes for the tag.

prototype(TYPO3.Neos:Page).head stays TYPO3.TypoScript:Array

prototype(TYPO3.Neos:Page).body stays TYPO3.Neos:Template

This change is only breaking if you rely on overwriting the PageTemplate (prototype(TYPO3.Neos:Page).templatePath). prototype(TYPO3.Neos:Page).body and prototype(TYPO3.Neos:Page).head still work as before. Additionally the variables "title" and "nodePath" for body are no longer predefined. You can of course define them in your TypoScript if needed.

Change-Id: I6c196f17316110733306baca679d82729a3ddc01

Resolves: #50384

## History

---

### #1 - 2013-10-04 16:59 - Christian Müller

- Assigned To set to Christian Müller

### #2 - 2013-10-04 16:59 - Christian Müller

- Status changed from New to Accepted

### #3 - 2013-10-11 19:26 - Gerrit Code Review

- Status changed from Accepted to Under Review

Patch set 2 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/24563>

### #4 - 2013-10-11 20:29 - Gerrit Code Review

Patch set 3 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/24563>

### #5 - 2013-10-11 21:11 - Gerrit Code Review

Patch set 4 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/24563>

### #6 - 2013-10-11 21:32 - Gerrit Code Review

Patch set 5 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/24563>

**#7 - 2013-10-14 12:59 - Gerrit Code Review**

Patch set 6 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/24563>

**#8 - 2013-10-15 15:02 - Gerrit Code Review**

Patch set 7 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/24563>

**#9 - 2013-10-15 15:36 - Christian Müller**

- *Status changed from Under Review to Resolved*

- *% Done changed from 0 to 100*

Applied in changeset commit:1ce77a1fcb13eee52629e3775536ab11d7b844bb.