Core - Bug # 51411

Status:	Resolved	Priority:	Must have		
Author:	Oliver Hader	Category:	File Abstrac	ction Layer (FAL)	
Created:	2013-08-27	Assigned To:	Philipp Gan	npe	
Updated:	2013-09-24	Due date:			
TYPO3 Version:	6.2				
PHP Version:	5.3				
Complexity:	easy				
Is Regression:	No				
Sprint Focus:					
Subject:	Label user function for sys_file_reference uses HTML				
Description					
possibly also in other	n for sys_file_reference uses HTML w components that list sys_file_referenc een introduced with this change: rg/21916	-	-	-	
Related issues:					
related to news extensio	n - Task # 52209: Change labelfunc for me	dia for 6.2	Resolved	2013-09-24	
related to TCA Referenc	e - Feature # 49716: label_func addition fo	r rendering	Closed	2013-07-05	
blocked by TYPO3 CMS	Usability Team - Suggestion # 36052: Visit	ual improvements	Resolved		
Associated revision	5				

Revision 04dcfbc7 - 2013-09-24 05:16 - Philipp Gampe

[BUGFIX] Label user function for sys_file_reference uses HTML

The change I7770044c11a6c1a1bcb51a3bfc11b85923653196 added meta information for the FAL IRRE headers. It uses a definition list to show certain fields of the related record inside the title (thus visible if collapsed). The HTML markup leads to problems in other places of the backend, most

noteable in the workspace module.

Introduce a separate user function only for inline labels, using the same signature as the normal label_userFunc.

Resolves: #51411 Releases: 6.2 Change-ld: 1070a9db3d009c743cb927be90a0aa3903a1bae45 Reviewed-on: https://review.typo3.org/23528 Reviewed-by: Markus Klein Tested-by: Markus Klein Reviewed-by: Georg Ringer Tested-by: Georg Ringer

History

#1 - 2013-08-28 13:42 - Markus Klein

What do you propose to change here?

What do you want to see as label in the Workspace Module?

I'd say we change the InlineElement.php to add another option/parameter/whatever to the userfunc called, such that the userfunc can distinguish between normal labeling and inline labeling.

#2 - 2013-08-29 12:56 - Philipp Gampe

IMHO a bug of the inline label part ... there should be two seperate functions for labels. One for TCEfroms and one for inline labels in the backend.

#3 - 2013-08-29 12:57 - Philipp Gampe

- Status changed from New to Needs Feedback

#4 - 2013-09-01 13:39 - Gerrit Code Review

- Status changed from Needs Feedback to Under Review

Patch set 1 for branch **master** has been pushed to the review server. It is available at <u>https://review.typo3.org/23528</u>

#5 - 2013-09-01 13:42 - Philipp Gampe

- Assigned To set to Philipp Gampe

I changed this to a new config option inlineLabel_userFunc with the same signature as the label_userFunc.

The function InlineElement::renderForeignRecordHeader is only called from InlineElement::renderForeignRecord which in turn is only used to render IRRE fields AFAICT.

That way all other places preserve the behavior.

#6 - 2013-09-01 18:31 - Gerrit Code Review

Patch set 2 for branch **master** has been pushed to the review server. It is available at <u>https://review.typo3.org/23528</u>

#7 - 2013-09-01 23:56 - Gerrit Code Review

Patch set 3 for branch **master** has been pushed to the review server. It is available at <u>https://review.typo3.org/23528</u>

#8 - 2013-09-02 09:03 - Gerrit Code Review

Patch set 4 for branch **master** has been pushed to the review server. It is available at <u>https://review.typo3.org/23528</u>

#9 - 2013-09-17 15:34 - Ernesto Baschny

- Priority changed from Should have to Must have
- Is Regression set to No

#10 - 2013-09-18 12:05 - Gerrit Code Review

Patch set 5 for branch **master** has been pushed to the review server. It is available at <u>https://review.typo3.org/23528</u>

#11 - 2013-09-24 05:30 - Philipp Gampe

- Status changed from Under Review to Resolved
- % Done changed from 0 to 100

Applied in changeset commit:04dcfbc72da6616552dcb2c2c676cf07ebeb33ce.

Files

Bildschirmfoto_2013-08-27_um_22.27.41.png	20.8 kB	2013-08-27	Oliver Hader
Bildschirmfoto_2013-08-27_um_22.28.23.png	46.8 kB	2013-08-27	Oliver Hader