

## Core - Task # 51436

|   |                             |                     |                       |  |  |
|---|-----------------------------|---------------------|-----------------------|--|--|
| <b>Status:</b>  | Resolved                    | <b>Priority:</b>    | Should have           |  |  |
| <b>Author:</b>  | Christian Kuhn              | <b>Category:</b>    | Unit/Functional Tests |  |  |
| <b>Created:</b>   | 2013-08-28                  | <b>Assigned To:</b> |                       |  |  |
| <b>Updated:</b>   | 2014-05-05                  | <b>Due date:</b>    |                       |  |  |
| <b>TYPO3 Version:</b>   | 6.2                         |                     |                       |  |  |
| <b>PHP Version:</b>   | 5.4                         |                     |                       |  |  |
| <b>Complexity:</b>  |                             |                     |                       |  |  |
| <b>Sprint Focus:</b>  |                             |                     |                       |  |  |
| <b>Subject:</b>   | Standalone unit test runner |                     |                       |  |  |
| <b>Description</b>  |                             |                     |                       |  |  |
| <a href="http://wiki.typo3.org/Blueprints/StandaloneUnitTests">http://wiki.typo3.org/Blueprints/StandaloneUnitTests</a> |                             |                     |                       |  |  |
|   |                             |                     |                       |  |  |
| <b>Subtasks:</b>  |                             |                     |                       |  |  |
| Bug # 55846: Remove backup of TYPO3_DB  |                             |                     | Resolved              |  |  |
| Task # 55850: Reduce memory footprint of unit tests   |                             |                     | Resolved              |  |  |
| Task # 56681: Unit tests bootstrap simplification   |                             |                     | Resolved              |  |  |
| Bug # 56684: Tests: Incomplete mocking in ResourceFactoryTest   |                             |                     | Resolved              |  |  |
| Bug # 56686: Tests: Incomplete mocking in Backend Tests   |                             |                     | Resolved              |  |  |
| Bug # 56687: Tests: Incomplete mocking in be_user   |                             |                     | Resolved              |  |  |
| Bug # 56688: [BUGFIX] Resolve incomplete mocking for sysext:fluid   |                             |                     | Resolved              |  |  |
| Task # 56689: Tests: Simplify unit test bootstrap   |                             |                     | Resolved              |  |  |
| Bug # 56696: Tests: Incomplete mocking of \$GLOBALS['TCA'] in ext:core  |                             |                     | Resolved              |  |  |
| Bug # 56698: Tests: Incomplete mocking of \$GLOBALS['TCA'] in ext:frontend  |                             |                     | Resolved              |  |  |
| Bug # 56699: Tests: Improve TCA mocking in BackendUtility   |                             |                     | Resolved              |  |  |
| Bug # 56700: Tests: Improve Mocking in ext:extbase  |                             |                     | Resolved              |  |  |
| Bug # 56718: Tests: Improve mocking in ext:belog  |                             |                     | Resolved              |  |  |
| Bug # 56725: Improve mocking in IconUtilityTest   |                             |                     | Resolved              |  |  |
| Bug # 56739: Remove loadExtensionTables from unit test bootstrap  |                             |                     | Resolved              |  |  |
| Bug # 56787: Tests: Incomplete mocking in ext:scheduler   |                             |                     | Resolved              |  |  |
| Bug # 56788: Tests: Incomplete mocking in ext:frontend  |                             |                     | Resolved              |  |  |
| Bug # 56791: Tests: Incomplete mocking in ext:beuser  |                             |                     | Resolved              |  |  |
| Bug # 56854: Tests: Incomplete mocking in BackendUtilityTest  |                             |                     | Resolved              |  |  |
| Bug # 56894: Incomplete mock in ext:scheduler   |                             |                     | Resolved              |  |  |
| Bug # 56895: Tests: Incomplete mocking in ext:scheduler   |                             |                     | Closed                |  |  |
| Bug # 56907: Remove unmaintainable test   |                             |                     | Resolved              |  |  |
| Bug # 56912: Incomplete mocking in backend condition matcher test   |                             |                     | Resolved              |  |  |
| Bug # 56914: Tests: Incomplete mocking in ext:fluid   |                             |                     | Resolved              |  |  |
| Bug # 56918: Tests: Improve mocking in ext:core   |                             |                     | Resolved              |  |  |
| Bug # 56921: Refactor log writer tests in ext:core  |                             |                     | Resolved              |  |  |
| Bug # 56922: Tests: Incomplete mocking in PreparedStatementTest   |                             |                     | Resolved              |  |  |
| Bug # 56924: Remove unmaintainable testclass  |                             |                     | Resolved              |  |  |
| Bug # 56930: Tests: Incomplete Mocking in ext:extensionmanager  |                             |                     | Resolved              |  |  |
| Bug # 56936: Tests: Replace objectManager with mock in ext:extbase  |                             |                     | Resolved              |  |  |
| Bug # 56937: Tests: Refactor cache Typo3DatabaseBackend   |                             |                     | Resolved              |  |  |
| Bug # 56938: Tests: Improve mocking in DatabaseConnectionTest   |                             |                     | Resolved              |  |  |
| Bug # 56939: Tests: Incomplete mock in IndexerServiceTest   |                             |                     | Resolved              |  |  |
| Bug # 56940: Tests: Skip some FAL tests   |                             |                     | Resolved              |  |  |
| Bug # 56942: Tests: Release em tests from extbase base class  |                             |                     | Resolved              |  |  |
| Bug # 56943: Release ext:form tests from exbase base class  |                             |                     | Resolved              |  |  |

|  |                            |
|--|----------------------------|
| Bug # 56947: Tests: incomplete mock of TYPO3_DB                                  | <b>Resolved</b>            |
| Task # 56948: Remove initialization of TYPO3_DB from unit test bootstrap         | <b>Resolved</b>            |
| Task # 56949: Tests: Do not extend from extbase BaseTestCase                     | <b>Resolved</b>            |
| Task # 56958: Tests: Extend from UnitBaseTest in ext:fluid                       | <b>Resolved</b>            |
| Task # 56961: Tests: Inherit from UnitTestCase in ext:extbase                    | <b>Resolved</b>            |
| Bug # 56963: Remove extbase BaseTestCase   | <b>Resolved</b>            |
| Task # 56967: Tests: Reduce unit test bootstrap                                  | <b>Resolved</b>            |
| Bug # 57035: Do not load LocalConfiguration in unit test bootstrap               | <b>Resolved</b>            |
| Bug # 57185: Tests: Stabilize readPngGifFixesPermissionsOfConvertedFile          | <b>Resolved</b>            |
| Bug # 57872: Tests: Namespaced usage of vfsStream                                | <b>Resolved</b>            |
| Task # 57971: Use composer for unit and functional tests in travis               | <b>Resolved</b>            |
| Bug # 58433: Speed up functional tests   | <b>Resolved</b>            |
| Bug # 58527: Refactor and activate dbal tests                                    | <b>Resolved</b>            |
| Task # 58531: Tests: Activate ext:rsaauth test suite                             | <b>Resolved</b>            |
| Bug # 58533: Tests: Find all unit tests automatically                            | <b>Resolved</b>            |
| <b>Related issues:</b>   |                            |
| related to Core - Bug # 52813: Better mocking in BackendUtility::viewOnClick ... | <b>Resolved</b> 2013-10-14 |
| related to Core - Bug # 52819: Better mocking in FormProtection tests            | <b>Resolved</b> 2013-10-14 |
| related to Core - Bug # 52865: Incomplete mock in ext:frontend FAL getData test  | <b>Resolved</b> 2013-10-15 |
| related to Core - Task # 52868: Enable mock of ResourceFactory in ContentObje... | <b>Resolved</b> 2013-10-15 |
| related to Core - Bug # 52643: ContentObjectRendererTest -> getImgResourceHoo... | <b>Resolved</b> 2013-10-09 |
| related to Core - Bug # 53476: Better mocking of \$GLOBALS['LANG']               | <b>Resolved</b> 2013-11-09 |
| related to Core - Bug # 53558: Refactor PageRenderer tests                       | <b>Resolved</b> 2013-11-12 |

## Associated revisions

### Revision d6ee9efa - 2013-10-13 22:37 - Helmut Hummel

[TASK] Bootstrap for Unit Tests

Until now we still needed the phpunit extension to be installed and cli access to be configured to execute unit tests.

This change introduces a bootstrap file which can be used to execute the unit test suite without the extension.

It is of course still possible to use the PHPUnit and VHS framework files present in the extension.

This change also splits user initialization into separate bootstrap methods and allows the PATH\_site and PATH\_thisScript constants to be set outside the bootstrap.

Activate Travis CI to make use of this.

Change-Id: I43f51896fd9895ead8d0084f37d34f3347f1c5e5  
 Resolves: #51436  
 Releases: 6.2

### Revision f362ed73 - 2013-10-14 00:09 - Helmut Hummel

## [TASK] Bootstrap for Unit Tests

Until now we still needed the phpunit extension to be installed and cli access to be configured to execute unit tests.

This change introduces a bootstrap file which can be used to execute the unit test suite without the extension.

It is of course still possible to use the PHPUnit and VHS framework files present in the extension.

This change also splits user initialization into separate bootstrap methods and allows the `PATH_site` and `PATH_thisScript` constants to be set outside the bootstrap.

Activate Travis CI to make use of this.

Resolves: #51436

Releases: 6.2

Change-Id: I43f51896fd9895ead8d0084f37d34f3347f1c5e5

Reviewed-on: <https://review.typo3.org/23396>

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Tested-by: Philipp Gampe

Reviewed-by: Philipp Gampe

Tested-by: Markus Klein

Reviewed-by: Helmut Hummel

Tested-by: Helmut Hummel

## Revision d7c03b86 - 2013-11-09 18:27 - Christian Kuhn

### [TASK] Better mocking of \$GLOBALS['LANG']

To further remove dependencies in unit tests, some tests are adapted to correctly mock `$GLOBALS['LANG']`. The `PageRenderer` tests still need adaptations in a separate patch, so the test bootstrap still initializes the language handling for now.

Change-Id: I5d6a8a0a0fe738fef676fbc637a02fe9700ccee3

Resolves: #53476

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/25234>

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

#### Revision ac6599fc - 2013-11-12 20:07 - Christian Kuhn

[TASK] Refactor PageRenderer tests

The existing tests of ext:core/Page/PageRenderer are in fact functional tests since most of them trigger lots of dependencies and call the main API method "render()" to check for something.

The patch moves most detail tests to two general functional tests doing the main work and adds some more functional tests for more specific cases.

The unit tests are stripped down to those parts that test only single methods or smaller systems with proper mocking.

In effect, the full unit test suite does no longer depend on initialization of \$GLOBALS['LANG'], it is now removed from unit test bootstrap.

Change-Id: I9f3f54ba52673e16bfcd303b46755e079d240de6

Resolves: #53558

Related: #51436

Related: #53476

Releases: 6.2

Reviewed-on: <https://review.typo3.org/25304>

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

#### Revision 03d4a807 - 2014-02-10 16:43 - Christian Kuhn

[TASK] Tests: Remove backup of TYPO3\_DB

All \$GLOBALS are backed up by phpunit, no explicit backup of \$GLOBALS['TYPO3\_DB'] is required.

Change-Id: I2859a5922d85a23fa8281382b1d78043ec7bd934

Resolves: #55846

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/27526>

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

#### Revision 2d05837d - 2014-02-10 20:36 - Christian Kuhn

[TASK] Reduce memory footprint of unit tests

Running the whole unit test suite on cli can eat up a significant amount of memory. Most of that can not be mitigated due to phpunit itself, but we can at least hint the PHP garbage collection by unsetting test class properties in tearDown().

The patch introduces a generic `tearDown()` method that reflects the test class and unsets all temporary properties of the class. In effect, tests do not need to take care of unsetting properties.

The patch removes all `tearDown()` methods that only `unset()` stuff and keeps others that do additional things but adds a call to `parent::tearDown()`. Private properties are changed to protected, so `parent::tearDown` can reach them. The additional computing effort of the reflection is insignificant, the suite is nearly as fast as before.

Results:

php 5.3: 1056MB -> 851MB

php 5.4: 870MB -> 670MB

php 5.5.: 876MB -> 674MB

Resolves: #55850

Related: #51436

Releases: 6.2

Change-Id: `le665c53a3ab35e4808677e483d2099e0511c393f`

Reviewed-on: <https://review.typo3.org/27528>

Reviewed-by: Helmut Hummel

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

#### **Revision 59b76a52 - 2014-03-09 14:34 - Christian Kuhn**

[TASK] Reduce unit test bootstrap

With the removal of `$GLOBALS['FILEMOUNTS']` the unit test no longer depend on initialization of backend user mounts. Remove this bootstrap line.

Change-Id: `le9860dd7b15a4baff330c8e3cad16d3ae3092e75`

Resolves: #56681

Related: #55547

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28190>

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

#### **Revision 11088709 - 2014-03-09 16:17 - Christian Kuhn**

[BUGFIX] Tests: Incomplete mock in `ResourceFactoryTest`

FAL `ResourceFactoryTest` `retrieveFileOrFolderObject*` not only

tests the method but also lots of not mocked dependencies. The tests are renamed and changed to stick to test the subject only.

Resolves: #56684

Related: #51436

Releases: 6.2

Change-Id: If247e923b8e79995279ad48bdc35f5b8976bfd57

Reviewed-on: <https://review.typo3.org/28192>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

#### **Revision 123663e5 - 2014-03-09 16:55 - Christian Kuhn**

[BUGFIX] Tests: Incomplete mocking in be\_user

ModuleDataStorageServiceTest now mocks \$GLOBALS['BE\_USER'] to not rely on instantiation of this global.

Change-Id: I5ab6b962d95f2ab183dfc1b1b53dea7deaa464c5

Resolves: #56687

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28196>

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

#### **Revision cdd9ad09 - 2014-03-09 17:09 - Christian Kuhn**

[TASK] Tests: Simplify unit test bootstrap

There is no need to initialize \$GLOBALS['BE\_USER'] anymore in unit tests since mocking of this dependency is complete.

Change-Id: I21ab751d4b66ba2d9658becbd6e0fcd16d139c4b

Resolves: #56689

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28199>

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

#### **Revision 6f493ac7 - 2014-03-09 23:30 - Christian Kuhn**

[BUGFIX] Tests: Incomplete mocking of \$GLOBALS['TCA'] in ext:core

To reduce dependencies of tests and improve readability, some tests can be improved by better mocking of \$GLOBALS['TCA']

Change-Id: I7dee44b5a98f2384c2b77c51ebc678ff15669475

Resolves: #56696

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28203>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

#### **Revision cdf716b4 - 2014-03-09 23:46 - Anja Leichsenring**

[BUGFIX] Tests: Incomplete mocking of \$GLOBALS['TCA'] in ext:frontend

To reduce dependencies of tests and improve readability, some tests can be improved by better mocking of \$GLOBALS['TCA'].

Change-Id: Ib38f2dd94288c5c4f8940d3c8c969ea0459ebbcbb

Resolves: #56698

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28204>

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

#### **Revision da605eba - 2014-03-10 00:56 - Christian Kuhn**

[BUGFIX] Tests: Improve TCA mocking in BackendUtility

ext:core BackendUtilityTest no longer depends on initialized TCA.

Change-Id: I5b97b86d57da15b6176dd3033ec8fda1f4209f85

Resolves: #56699

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28206>

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

#### **Revision 6695000d - 2014-03-10 01:08 - Anja Leichsenring**

[BUGFIX] Tests: Improve Mocking in ext:extbase

Change-Id: I61f7f92da42d691b0556f1e53b20d39eb082c12f  
Resolves: #56700  
Related: #51436  
Releases: 6.2  
Reviewed-on: <https://review.typo3.org/28207>  
Reviewed-by: Christian Kuhn  
Tested-by: Christian Kuhn

#### **Revision 9e7e81fb - 2014-03-10 12:15 - Christian Kuhn**

[BUGFIX] Tests: Improve mocking in ext:belog

The subject method initialize() calls some static dependencies that can not be mocked. They do DB actions in the end. The patch now mocks TYPO3\_DB to suppress this DB call.

Change-Id: I43b0e002bfab081ed41a5c259011f465b507a74b  
Resolves: #56718  
Related: #51436  
Releases: 6.2  
Reviewed-on: <https://review.typo3.org/28215>  
Reviewed-by: Anja Leichsenring  
Tested-by: Anja Leichsenring  
Reviewed-by: Christian Kuhn  
Tested-by: Christian Kuhn

#### **Revision d413b2f6 - 2014-03-10 14:52 - Christian Kuhn**

[BUGFIX] Tests: Improve mocking in IconUtilityTest

The IconUtility tests depend on initialized \$GLOBALS['TBE\_STYLES'] and sometimes on initialized \$GLOBALS['TCA']. This dependency is removed by properly setting up needed arrays now, this also makes the tests more obvious and easier to understand.

Additionally, the static cache property introduced with #56110 now uses late static binding, enabling the tests to extend the class and route any static cache changes to an test internal overlay class to not pollute the static property of the base class.

Change-Id: I01166058da051a26d7aa2df315858468828ed346  
Resolves: #56725  
Related: #51436  
Related: #56110  
Releases: 6.2  
Reviewed-on: <https://review.typo3.org/28220>  
Reviewed-by: Anja Leichsenring  
Tested-by: Anja Leichsenring  
Reviewed-by: Wouter Wolters  
Tested-by: Wouter Wolters



#### Revision 4a56fd23 - 2014-03-10 20:05 - Christian Kuhn

[TASK] Remove loadExtensionTables() from unit test bootstrap

With proper mocking in place, loadExtensionTables() can be removed from unit test bootstrap.

This speeds up the test suite quite a bit since the huge \$GLOBALS['TCA'] is no longer initialized and gives backup code of phpunit less headaches.

Change-Id: I9ac96047a49914f3c6ab7acc318bbc36488b6c5b

Resolves: #56739

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28235>

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

#### Revision bbaf395 - 2014-03-11 21:19 - Christian Kuhn

[BUGFIX] Tests: Incomplete mocking in ext:scheduler

Use getMock() instead of new() to create the test subject in order to suppress execution of \_\_construct() of parent AbstractTask.

Change-Id: Id0c297b845db7064b15a859eefa71830ab12074d

Resolves: #56787

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28273>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

#### Revision e0fee4ad - 2014-03-11 21:57 - Christian Kuhn

[BUGFIX] Tests: Incomplete mocking in ext:beuser

The module data storage test subject calls several static dependencies that can not be mocked without code refactoring. Those dependencies do database stuff in the end, so DB needs to be properly mocked for this test.

Change-Id: Id882b3a3a785940b5499c9afeff67f193c480e3b

Resolves: #56791

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28275>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

#### **Revision f61e17ed - 2014-03-11 21:57 - Christian Kuhn**

[BUGFIX] Tests: Incomplete mocking in ext:frontend

Improve the fluid standalone tests by not calling `__construct()` of a dependency.

Additionally, `renderWorksWithNestedFluidtemplate()` not only tests the standalone view, but also its connection to the content object renderer, so this is more a functional than a unit test. The test is streamlined and moved to the functional test suite.

Change-Id: I3ae357de4861395622bc6f70aeed6011c7760cde

Resolves: #56788

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28274>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

#### **Revision 6741ab10 - 2014-03-13 22:29 - Anja Leichsenring**

[BUGFIX] Tests: Improve Mocking in ext:extbase

Unittests reveal some warnings which are caused by incomplete mocking.

Change-Id: Iee09220d675335aeadd286c2d4544d53c981016f

Resolves: #56700

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28365>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

#### **Revision 71373b3c - 2014-03-13 23:46 - Christian Kuhn**

[BUGFIX] Tests: Incomplete mocking in BackendUtilityTest

Remove dependencies in BackendUtilityTest with better mocking and introduce `static::` instead of `self::` in BackendUtility for late static binding.

The flexForm test for `getExcludeFields()` is separated to an own

test and an array duplication bug confusing array key and value  
in `getExcludeFields()` is fixed along the way.

Change-Id: If242bab64075aee5050dfc77317e54dcb2f5e25d

Resolves: #56854

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28331>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Reviewed-by: Stefan Neufeind

Tested-by: Stefan Neufeind

#### **Revision dbf686f3 - 2014-03-14 08:58 - Anja Leichsenring**

[BUGFIX] Tests: improve Mocking in ext:extbase

Unittests reveal some warnings which are caused by incomplete mocking.

Change-Id: I42089bb6c9016187d83382a2fa10450310993a84

Resolves: #56700

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28370>

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

#### **Revision c96a2a57 - 2014-03-14 09:11 - Christian Kuhn**

[BUGFIX] Tests: Incomplete mock in ext:scheduler

Do not call `__construct` of subject.

Change-Id: I7b936efde9220c847b0a6278ea0d5b3606203e17

Resolves: #56894

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28374>

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

#### **Revision eb84fc9d - 2014-03-14 15:05 - Christian Kuhn**

[TASK] Remove not maintainable test

ext:backend test `getNodesSetsIsMountPointField()` works on `getNode()`  
of `PageTree` `DataProvider`. The method has tons of dependencies that  
are sometimes even static, and the method is recursive. It is very  
hard to test properly and the current test is still not mocking  
completely. The test is removed for now since it does not give us

much benefit and is hard to maintain in current state, the subject method should be covered by tests again if it was refactored.

Change-Id: I344c584b4d6e3868471f4857a08223be3a5d03e4

Resolves: #56907

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28384>

Reviewed-by: Wouter Wolters

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

#### **Revision 3194a29e - 2014-03-14 16:49 - Christian Kuhn**

[BUGFIX] Tests: Incomplete mocking in backend condition matcher

Mock determineRootline to suppress calling database stuff in dependencies.

Change-Id: I54938f9e20d52eda568c6520fa7bd72ec19b61e2

Resolves: #56912

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28388>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

#### **Revision babb8ebc - 2014-03-14 16:49 - Christian Kuhn**

[BUGFIX] Tests: Incomplete mocking in ext:fluid

Change-Id: I4bd6ff219c3232211106e968fce45ee3f2dd674a

Resolves: #56914

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28390>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

#### **Revision 05601363 - 2014-03-14 19:58 - Christian Kuhn**

[BUGFIX] Tests: Better mocking in ext:core

Some tests still rely on initialized \$GLOBALS['TYPO3\_DB']. The patch

handles some easy cases in ext:core.

Change-Id: I5b720154035cc5f8b156a9358806673daaf9c9ec

Resolves: #56918

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28394>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

#### **Revision 8bec5130 - 2014-03-14 20:00 - Christian Kuhn**

[BUGFIX] Tests: Refactor log writer tests in ext:core

Test files and class naming is adapted to subject class names in ext:core Log/Writer and the DatabaseWriterTests are rewritten to not depend on initialized database connection anymore.

Change-Id: Ifff4e5a064018bb5b0db3bf9eeb1b9232adfb262

Resolves: #56921

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28396>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

#### **Revision f6f52eac - 2014-03-14 20:42 - Christian Kuhn**

[BUGFIX] Tests: Incomplete mocking in PreparedStatementTest

Release PreparedStatementTest from an active DB connection. The quote tests are refactored a bit to find out in one specific test if it is done for parameters.

Change-Id: I37853cd49368c2b23d0c2d6926fc806618674279

Resolves: #56922

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28398>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

#### **Revision 16545e59 - 2014-03-15 12:22 - Anja Leichsenring**

[BUGFIX] Tests: Incomplete Mocking in ext:extensionmanager

After the removal of GLOBALS initialisation the extension raises warnings in unittests.

Change-Id: I450932b1de1852302e4ae9861b250c5721f6032e

Resolves: #56930

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28412>

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

Reviewed-by: Thomas Maroschik

Tested-by: Thomas Maroschik

#### Revision ffbde247 - 2014-03-15 13:00 - Anja Leichsenring

[BUGFIX] Tests: Improve mocking in ext:extbase

Unit tests reveal some warnings which are caused by incomplete mocking. They all belong to \$GLOBALS['LANG']

Change-Id: Ic2adda9984a530b82e259c1d8931015996f167ba

Resolves: #56700

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28407>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

#### Revision f6a923c7 - 2014-03-15 16:31 - Christian Kuhn

[TASK] Tests: Refactor cache Typo3DatabaseBackend

Tests of the Typo3DatabaseBackend are refactored to not depend on initialized \$GLOBALS['TYPO3\_DB'] anymore, queries and quoting is now performed to a mock object. Next to a better separation this has the advantage of a nice speedup executing those tests.

Change-Id: I8fc23fec56a50e48f74422eac3ee4a07ed3669b9

Resolves: #56937

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28420>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

#### Revision 43308189 - 2014-03-15 16:58 - Christian Kuhn

[BUGFIX] Tests: Improve mocking in DatabaseConnectionTest

With the switch to mysqli object it is now possible to fully mock and check the final database calls in DatabaseConnectionTest, the test table can be removed after refactoring the tests.

Change-Id: I60e33f6af5b4be8111a21469d12e38843650e7c4

Resolves: #56938

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28422>

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

#### **Revision 1941db90 - 2014-03-15 17:25 - Christian Kuhn**

[BUGFIX] Tests: Incomplete mock in IndexerServiceTest

Change-Id: Idad4b11894ee6e09e0b8eca9a057c7a776925a70

Resolves: #56939

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28423>

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

#### **Revision cc909e68 - 2014-03-15 19:48 - Christian Kuhn**

[TASK] Tests: Skip some FAL tests

While the FAL tests were already streamlined and simplified a lot, the ResourceStorageTest class is still a mixture of functional and unit test that involves heavy set up code and still does not mock dependencies properly.

This test class needs a rewrite and a clean separation of units together with a number of working functional tests to be of any use. For now, all tests that rely on initialized database are skipped and marked as TODO.

Change-Id: I3191c809c50f4f19ab91b9a5b5f2f3ebc3fa47ff

Resolves: #56940

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28424>

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

**Revision 5736216d - 2014-03-15 21:16 - Christian Kuhn**

[BUGFIX] Tests: Release em tests from extbase base class

Extbase BaseTestClass comes with a not mocked objectManager that gives headaches if it is injected to a test subject. Releasing the extensionmanager test classes from this and using core UnitTestCase as parent reveals these parts in existing tests, those are fixed with the patch.

Change-Id: Ia7acd7f838f9ac0eb2f44e0737893fc30c41ff55

Resolves: #56942

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28427>

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

**Revision 520e3653 - 2014-03-15 22:01 - Christian Kuhn**

[TASK] Tests: Release ext:form tests from exbase base class

Change-Id: I7e9f09fa747a07208bf248aa35fdf154cd1fa9c4

Resolves: #56943

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28428>

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

**Revision f2a9fd67 - 2014-03-15 22:40 - Anja Leichsenring**

[BUGFIX] Tests: Replace objectManager with mock in ext:extbase

The usage of native objectManager in Extbase' BaseTestClass introduces a dependency to the systems database. In order to reduce the unit test bootstrap this dependency must be resolved.

Change-Id: I862664d4ca032d18f22b18677816bed1e1bc2a4a

Resolves: #56936

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28421>

Reviewed-by: Christian Kuhn



Tested-by: Christian Kuhn  
Reviewed-by: Stefan Neufeind  
Tested-by: Stefan Neufeind

**Revision 9cdedd07 - 2014-03-16 00:17 - Christian Kuhn**

[BUGFIX] Tests: Incomplete mock of \$GLOBALS['TYPO3\_DB']

Still some unit tests rely on TYPO3\_DB, mostly through the extbase object manager. The patch fixes most occurrences and skips two complex tests that should be moved to functional tests later.

This should be the final patch for tests accessing TYPO3\_DB.

Change-Id: I8deb0fb9c13b47c8ce4262f041744def9e6b0e79

Resolves: #56947

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28431>

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

**Revision 3736f998 - 2014-03-16 00:28 - Christian Kuhn**

[TASK] Tests: Do not initialize TYPO3\_DB in unit tests

Change-Id: I9d147353411314416cdf1f5196d18a127e8c5145

Resolves: #56948

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28432>

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

**Revision d8667e0e - 2014-03-16 13:54 - Christian Kuhn**

[TASK] Tests: Do not extend from extbase BaseTestCase

Changes all extensions except extbase and fluid to extend from extbase ext:core UnitTestCase instead of ext:extbase BaseTestCase.

Change-Id: Ifbb1542546f2622ece11471fd057ec469518488a

Resolves: #56949

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28434>

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

**Revision 96646e1a - 2014-03-16 14:00 - Christian Kuhn**

[TASK] Tests: Inherit from UnitTestCase in ext:fluid

Changes class inheritance from ext:exbase BaseTestCase  
to ext:core UnitTestCase in ext:fluid

Change-Id: I46667d9cb5a56f5bc29c4f2c3525c6556d5f802f

Resolves: #56958

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28440>

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

**Revision b5e6c668 - 2014-03-16 15:07 - Christian Kuhn**

[TASK] Inherit from UnitTestCase in ext:exbase

Changes class inheritance from ext:exbase BaseTestCase  
to ext:core UnitTestCase in ext:exbase

Change-Id: If2d2afbc05765b3ff1d8fa3fdded17e6fb0eecd44

Resolves: #56961

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28441>

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Wouter Wolters

Tested-by: Wouter Wolters

**Revision 9d0f4607 - 2014-03-16 15:48 - Christian Kuhn**

[TASK] Tests: Remove exbase BaseTestCase

Lots of unit tests did inherit from exbase BaseTestCase. Meanwhile  
all code of this abstract was merged to ext:core UnitTestCase and  
with the refactoring of the core unit test bootstrap the objectManager  
that is still in this class does not work anymore.

The class is now removed, but since this is probably used in some  
third party extensions, it is set as class alias to ext:core  
UnitTestCase and marked as deprecated in a legacy file, so IDEs  
hint developers about this deprecation.

Change-Id: I31fb337e065aed7f03351cb04e13c68a98c93a34

Resolves: #56963  
Related: #51436  
Releases: 6.2  
Reviewed-on: <https://review.typo3.org/28445>  
Reviewed-by: Anja Leichsenring  
Tested-by: Anja Leichsenring  
Reviewed-by: Wouter Wolters  
Tested-by: Wouter Wolters

#### **Revision f8eb2337 - 2014-03-16 18:27 - Christian Kuhn**

[TASK] Tests: Reduce unit test bootstrap

The patch further reduces the unit test bootstrap: ext\_localconf of extensions is not loaded anymore and the cache framework is no longer initialized. A test with incomplete mocking in this area is fixed along the way.

Furthermore the core exception handling is no longer initialized, so it does not depend on configuration options. A warning triggered by a unit test will now reliably let the test fail.

Change-Id: I659441482a19eb6b434d520ecd6df8f5086820

Resolves: #51436  
Related: #56967  
Releases: 6.2  
Reviewed-on: <https://review.typo3.org/28449>  
Reviewed-by: Wouter Wolters  
Tested-by: Wouter Wolters  
Reviewed-by: Anja Leichsenring  
Tested-by: Anja Leichsenring

#### **Revision 3e3feef3 - 2014-03-22 19:48 - Christian Kuhn**

[TASK] Remove db setup from .travis.yml

With proper mocking in place we no longer need an initialized database to run unit tests.

Change-Id: I3913186540bbd1b1419c37132cddaaa34ea9ca34

Related: #51436  
Releases: 6.2  
Reviewed-on: <https://review.typo3.org/28645>  
Reviewed-by: Christian Kuhn  
Tested-by: Christian Kuhn

#### **Revision c0655d67 - 2014-03-22 20:41 - Christian Kuhn**

[BUGFIX] Tests: Remove some useless tests

Some tests of GeneralUtility depend on LocalConfiguration

settings and can not easily be mocked in a sane way. They are also not very helpfull and the functionality tested is unlikely to break. They are removed for now.

Change-Id: I6162e950d4df75e1b8aea63a6c547139efabdf15

Resolves: #57185

Related: #51436

Related: #57035

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28644>

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

Reviewed-by: Helmut Hummel

Tested-by: Helmut Hummel

#### **Revision ca9c89c2 - 2014-03-22 21:16 - Christian Kuhn**

[BUGFIX] Do not load LocalConfiguration in unit test bootstrap

The patch removes loadConfigurationAndInitialize() from unit test bootstrap and substitutes it with some more fine grained bootstrap calls. In effect, the instance specific LocalConfiguration.php is no longer loaded and removes another dependency from unit tests to the instance.

Change-Id: Ia6591fe8d40d530558a514832c8d649c46b4ccc9

Resolves: #57035

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/28491>

Reviewed-by: Helmut Hummel

Tested-by: Helmut Hummel

Reviewed-by: Markus Klein

Tested-by: Markus Klein

#### **Revision 4ecf9038 - 2014-04-13 13:45 - Christian Kuhn**

[BUGFIX] Tests: Namespaced usage of vfsStream

vfsStream was namespaced a while ago. While ext:phpunit still has a Migration to map non namespaced classes to the namespaced ones, they should not be used any longer.

Change-Id: I44dcda6707cf6410125f01552c995a27113b3cc2

Resolves: #57872

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/29440>

Reviewed-by: Oliver Klee

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

**Revision 9f87a730 - 2014-04-19 23:23 - Christian Kuhn**

[TASK] Use composer for unit and functional tests in travis

The patch uses composer based dependency handling and other stuff pushing travis-ci tests to the next level:

- phpunit registered as "dev" requirement in composer.json
- vfsStream registered as "dev" requirement in composer.json
- cms-composer-installers is not released stable and adapted in composer.json for successful dependency resolving via composer
- cloning travis-integration repository is obsolete by inlining scripts in .travis.yml
- cloning ext:phpunit is obsolete, native phpunit by composer is used now
- it is possible to set functional test suite database credentials with environment variables, used in .travis.yml
- redis cache backend tests are enabled on travis-ci again
- use existing php modules of travis-ci environment speeds up build

With phpunit from composer, the command to run tests is

`./bin/phpunit -c typo3/sysext/core/Build/UnitTests.xml`

More documentation about that can be found at

[http://wiki.typo3.org/Unit\\_Testing TYPO3](http://wiki.typo3.org/Unit_Testing TYPO3)

Change-Id: I4d524e8e0249ca22f34fc48b7209d60d72e5e921

Resolves: #57971

Related: #51436

Releases: 6.2

Reviewed-on: <https://review.typo3.org/29495>

Reviewed-by: Wouter Wolters

Reviewed-by: Tymoteusz Motylewski

Tested-by: Tymoteusz Motylewski

Reviewed-by: Helmut Hummel

Tested-by: Helmut Hummel

**Revision 30f2ba08 - 2014-05-05 18:17 - Christian Kuhn**

[TASK] Tests: Refactor and activate dbal tests

Our unit test environment is finally ready to execute existing dbal unit tests, even if no database connection exists.

The patch refactors unit tests of ext:dbal, modernizes their codebase and adds them to the build.

Resolves: #52527

Related: #51436

Releases: 6.2

Change-Id: I70507591dc89331d658d50196dfcaea002caa7d5

Reviewed-on: <https://review.typo3.org/29874>

Reviewed-by: Anja Leichsenring

Tested-by: Anja Leichsenring

Reviewed-by: Helmut Hummel

Tested-by: Helmut Hummel

#### **Revision 3010c21e - 2014-05-05 19:51 - Christian Kuhn**

[TASK] Tests: Activate ext:rsaaauth test suite

The test suite of ext:rsaaauth is missing in UnitTests.xml, add it.

Resolves: #58531

Related: #58530

Related: #51436

Releases: 6.2

Change-Id: I5c1c8bbf415ed53270a09bdf68df300e28eb5f09

Reviewed-on: <https://review.typo3.org/29878>

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

#### **Revision cf6cde21 - 2014-05-05 20:22 - Christian Kuhn**

[TASK] Tests: Find all tests automatically

All regular unit tests are located at  
typo3/sysex/"extension"/Tests/Unit. The patch substitutes the single  
suite registration in UnitTests.xml with a wildcard, only "Legacy"  
and "Integration" tests are still registered as special locations.

Following this schema, tests located at default locations within  
extensions will be found automatically without explicit registration.

Resolves: #58533

Related: #51436

Releases: 6.2

Change-Id: Ie822a68f60060437d2e3aabea7754f5b1e72af50

Reviewed-on: <https://review.typo3.org/29879>

Reviewed-by: Christian Kuhn

Tested-by: Christian Kuhn

#### **Revision dad69621 - 2014-05-06 17:40 - Christian Kuhn**

[BUGFIX] ext:rsaaauth cliBackend pollutes cli output

The CommandLineBackend using exec "openssl genrsa" outputs its key  
generation to standard error. If SAPI is cli (eg. in unit tests),  
this is shown to the user. The patch silences openssl by  
redirecting stderr to /dev/null (NUL on Windows systems).

Resolves: #58530  
Related: #51436  
Releases: 6.2  
Change-Id: I702d2d3180bc2e32e5548a4402d4eefb02dd2523  
Reviewed-on: <https://review.typo3.org/29877>  
Reviewed-by: Wouter Wolters  
Tested-by: Wouter Wolters  
Reviewed-by: Stefan Neufeind  
Reviewed-by: Markus Klein  
Reviewed-by: Christian Kuhn  
Tested-by: Christian Kuhn  
Reviewed-by: Nicole Cordes  
Tested-by: Nicole Cordes

## History

---

### #1 - 2013-08-28 12:31 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/23396>

### #2 - 2013-08-29 17:42 - Gerrit Code Review

Patch set 2 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/23396>

### #3 - 2013-08-29 20:27 - Gerrit Code Review

Patch set 3 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/23396>

### #4 - 2013-08-31 19:57 - Gerrit Code Review

Patch set 4 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/23396>

### #5 - 2013-10-13 00:33 - Gerrit Code Review

Patch set 5 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/23396>

### #6 - 2013-10-13 22:45 - Gerrit Code Review

Patch set 6 for branch **master** has been pushed to the review server.

It is available at <https://review.typo3.org/23396>

**#7 - 2013-10-13 23:30 - Helmut Hummel**

- *Status changed from Under Review to Resolved*
- *% Done changed from 0 to 100*

Applied in changeset commit:d6ee9efa9e457248c11c7f32d96cfd6b69330919.

**#8 - 2014-02-10 16:12 - Christian Kuhn**

- *Status changed from Resolved to Accepted*
- *Estimated time set to 0.00*

**#9 - 2014-02-10 16:12 - Christian Kuhn**

See <http://wiki.typo3.org/Blueprints/StandaloneUnitTests> for more details.

**#10 - 2014-03-16 18:20 - Gerrit Code Review**

- *Status changed from Accepted to Under Review*
- *Estimated time set to 0.00*

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/28449>

**#11 - 2014-03-16 18:20 - Gerrit Code Review**

Patch set 2 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/28449>

**#12 - 2014-03-16 18:30 - Christian Kuhn**

- *Status changed from Under Review to Resolved*
- *% Done changed from 98 to 100*

Applied in changeset commit:f8eb233776d1ecb1421303c1faa2952ba747a6d1.

**#13 - 2014-05-05 20:30 - Gerrit Code Review**

- *Estimated time deleted (0.00)*