

## TYPO3.Flow - Feature # 5152

<b>Status:</b>	Resolved	<b>Priority:</b>	Should have
<b>Author:</b>	Bastian Waidelich	<b>Category:</b>	MVC
<b>Created:</b>	2009-10-27	<b>Assigned To:</b>	Bastian Waidelich
<b>Updated:</b>	2010-10-20	<b>Due date:</b>	
<b>PHP Version:</b>			
<b>Has patch:</b>			
<b>Complexity:</b>			
<b>Subject:</b>	Make package settings available in view		
<b>Description</b>			
to be able to write			
{settings.someOption}			
in your (Fluid) template, the settings should be assigned to the view after initialization.			

### Associated revisions

Revision ec422e02 - 2009-10-30 13:15 - Bastian Waidelich

[+FEATURE] FLOW3 (MVC): Made package settings available in view. Now you can access settings directly in your Fluid template like {settings.someOption}. This resolves #5152

### History

#1 - 2009-10-27 19:09 - Bastian Waidelich

Patch:

Index: Classes/MVC/Controller/ActionController.php

=====

```
--- Classes/MVC/Controller/ActionController.php (revision 3199)
+++ Classes/MVC/Controller/ActionController.php (working copy)
@@ -129,7 +129,10 @@
```

```
    $this->mapRequestArgumentsToControllerArguments();
    $this->view = $this->resolveView();
-   if ($this->view !== NULL) $this->initializeView($this->view);
+   if ($this->view !== NULL) {
+       $this->initializeView($this->view);
+       $this->view->assign('settings', $this->settings);
+   }
    $this->callActionMethod();
}
```

#2 - 2009-10-30 13:01 - Karsten Dambekalns

I'd do the assign before the call to `initializeView()`, so that it could be overridden there, if needed.

**#3 - 2009-10-30 13:11 - Bastian Waidelich**

- *Target version set to 1.0 alpha 6*

**#4 - 2009-10-30 14:00 - Bastian Waidelich**

- *Status changed from New to Resolved*

- *% Done changed from 0 to 100*

Applied in changeset r3381.