Core - Bug # 52358

Epic # 68397 (In Progress): Make TYPO3 work with MySQL strict mode

Status:ResolvedPriority:Must haveAuthor:Christian BoltzCategory:Database APICreated:2013-09-28Assigned To:Morton JonuschatUpdated:2015-07-21Due date:

TYPO3 Version: 6.2 PHP Version: 5.4

Complexity:

Is Regression: No

Sprint Focus:

Subject: can't login to backend or install tool with PHP 5.4.19 (Typo3-internal session handler broken)

Description

On a new server with openSUSE 13.1 beta (which comes with Apache 2.4.6 and PHP 5.4.19), it's impossible to login to the backend or to the install tool.

The password is recognized as valid (the install tool does not display the md5sum of the entered password, and the backend logs a successful(!) login in sys_log), but I always get the login form again.

After lots of research (also with some help in #typo3), I found out that the Typo3-internal session handling causes this - if I disable the Typo3-internal session handler in the install tool, I can successfully login (see attached patch, which is of course only a workaround).

Unfortunately disabling the Typo3-internal session handling for the backend login is not that easy, therefore I need some help ;-)

I can reproduce this problem with Typo3 4.5.30 and 6.1.3.

Associated revisions

Revision 4248fb83 - 2015-07-21 02:43 - Morton Jonuschat

[BUGFIX] Initialize new session with empty data field

Initialize the ses_data key with an empty string when creating a new session record to avoid problems with active MySQL strict mode.

Resolves: #52358 Releases: master

Change-Id: lb432812797015511aa1b1230eec9d0cc4d391c74

Reviewed-on: http://review.typo3.org/41758

Reviewed-by: Wouter Wolters < typo3@wouterwolters.nl Tested-by: Wouter Wolters < typo3@wouterwolters.nl>

Reviewed-by: Stefan Neufeind < typo3.neufeind@speedpartner.de>
Tested-by: Stefan Neufeind < typo3.neufeind@speedpartner.de>

History

#1 - 2013-09-29 15:58 - Christian Boltz

I also (finally) found the problem that prevented the backend login. This time it's not PHP, but MySQL/MariaDB strict mode ;-)

2015-08-04 1/3

class.t3lib_userauth.php getNewSessionRecord() does not set the ses_data field, which has no default in the database. The result was that \$GLOBALS['TYPO3_DB']->exec_INSERTquery failed.

To make things worse, exec_INSERTquery fails silently. It should at least report the error to the devlog...

That all said, here's the patch (for 4.5.30, but it's probably needed for all Typo3 versions):

```
--- typo3_src-4.5.30/t3lib/class.t3lib_userauth.php
                                                  2013-09-12 11:30:04.000000000 +0200
+++ typo3_src/t3lib/class.t3lib_userauth.php 2013-09-29 15:51:45.000000000 +0200
@@ -813,10 +813,11 @@
    function getNewSessionRecord($tempuser) {
         return array(
              'ses_id' => $this->id,
              'ses name' => $this->name,
              'ses_iplock' => $tempuser['disablelPlock'] ? '[DISABLED]' : $this->ipLockClause_remotelPNumber($this->lockIP),
              'ses hashlock' => $this->hashLockClause getHashInt(),
              'ses_userid' => $tempuser[$this->userid_column],
              'ses_tstamp' => $GLOBALS['EXEC_TIME']
              'ses_tstamp' => $GLOBALS['EXEC_TIME'],
              'ses_data' => " ### cboltz - http://forge.typo3.org/issues/52358
         );
    }
```

#2 - 2014-03-26 23:29 - Helmut Hummel

- TYPO3 Version changed from 6.1 to 6.2

Christian Boltz wrote:

That all said, here's the patch (for 4.5.30, but it's probably needed for all Typo3 versions):

Looks reasonable. Can you push a patch into our review system?

http://wiki.typo3.org/CWT

Thanks!

#3 - 2014-03-27 09:48 - Alexander Opitz

TYPO3 do not support MySQL/MariaDB Strict mode ... there are more open issues about that

http://forge.typo3.org/issues/18866 http://forge.typo3.org/issues/18821 http://forge.typo3.org/issues/20052

yes, the issue should be solved, but there will be more errors afterwards. :-(

#4 - 2015-07-20 19:16 - Morton Jonuschat

2015-08-04 2/3

- Category set to Database API
- Assigned To set to Morton Jonuschat
- Target version set to 7 LTS

#5 - 2015-07-20 19:41 - Morton Jonuschat

- Parent task set to #68397

#6 - 2015-07-20 22:20 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at http://review.typo3.org/41758

#7 - 2015-07-21 02:43 - Morton Jonuschat

- Status changed from Under Review to Resolved
- % Done changed from 0 to 100

Applied in changes et commit: 4248fb83eec4182e56b25d47ac282c1c0be8193b.

Files

typo3_src-4.5.30-cboltz--installtool-session-handling.diff 1.3 kB 2013-09-28 Christian Boltz

2015-08-04 3/3