

TYPO3 Flow Base Distribution - Bug # 53961

Status:	New	Priority:	Should have
Author:	Rens Admiraal	Category:	
Created:	2013-11-25	Assigned To:	
Updated:	2013-11-28	Due date:	
Affected Flow version: Git master			
Subject:	Composer installer scripts create a .Packages folder		
Description			
<p>Since the last changes to the composer installer scripts a .Packages folder is created if for example TYPO3.Neos is installed. This happens because a folder is copied to folder '.' passed to Files::copyDirectoryRecursively() as target folder.</p> <p>copyDirectoryRecursively() then prepends this to the source folder, resulting in the .Packages.</p> <p>Question is if the copyDirectoryRecursively should append the / to prevent issues like this.</p>			

Associated revisions

Revision 340139cc - 2013-11-25 22:03 - Rens Admiraal

[BUGFIX] Composer installer scripts create a .Packages folder

The composer installer scripts create a .Packages folder inside the root of the Flow project. This is incorrect as the created directory should be inside the Packages folder.

Change-Id: I8b8b3a2563467509d7be8b3c5af62f4b038be24d
Related: #53961
Releases: master

History

#1 - 2013-11-28 13:06 - Bastian Waidelich

see <https://review.typo3.org/#/c/25678/> for the related change