

TYPO3.Flow - Bug # 54181

Status:	New	Priority:	Could have
Author:	David Lundgren	Category:	Core
Created:	2013-12-04	Assigned To:	
Updated:	2015-06-01	Due date:	
PHP Version:			
Has patch:	Yes		
Complexity:	easy		
Affected Flow version:	Git master		
Subject:	Use date_default_timezone_get() instead of ini_get('date.timezone')		
Description			
Using date_default_timezone_get() instead of ini_get('date.timezone') in TYPO3\Flow\Core\Bootstrap would allow developers to set the timezone in code instead of modifying the php.ini.			
Related issues:			
related to TYPO3.Flow - Feature # 44123: Make the "Flow requires the PHP sett...		New	2012-12-19

History

#1 - 2014-01-29 15:16 - Adrian Förder

I'm against this suggestion because at the last stage it guesses "something" which is not reliably at all; and the intention of this line of code is exactly to avoid **any** kind of ambiguities...

#2 - 2014-07-03 16:24 - Mathias Brodala

I am totally in favor of this suggestion because this is the no. 1 issue people struggle with setting up TYPO3 Flow/Neos. There is absolutely no reason (at least none known to me) to artificially put a hard break here. Please enlighten me if there is a reason.

Otherwise I'd strongly suggest integrating this change. Also two of the four stages in date_timezone_get (including the last guessing stage) are dropped with PHP 5.4. Maybe one tweak: check against "UTC" as this is returned as last resort and unlikely to be a user setting.

#3 - 2014-07-05 07:22 - Patrick Lobacher

I strongly agree - the installation is the most difficult part in the moment for every newbie and we should simplify the process where ever we can

#4 - 2015-06-01 18:54 - David Mair Spiess

- File *laravel.png* added

+1 for this. A lot of people struggle with this. Other frameworks like Laravel do it also.

Files

typo3_flow_core_bootstrap.patch	645 Bytes	2013-12-04	David Lundgren
laravel.png	14.5 kB	2015-06-01	David Mair Spiess