

TYPO3.Neos - Bug # 54187

Status:	Resolved	Priority:	Should have
Author:	Thomas Hempel	Category:	
Created:	2013-12-04	Assigned To:	Bastian Waidelich
Updated:	2014-02-26	Due date:	
Subject:	Router ignores default Suffix from browser		
Description	<p>Since Neos beta 2 one has to set the defaultUriSuffix. If you set it to .html all links will be created like "page1.html", "page2.html" etc. So far so good.</p> <p>But if you enter an address like "page1.jgsdhjgasjdhg" or "page2.FooBarBaz" in your browser, the page is still displayed despite the wrong suffix. You can just enter anything. Only the name is processed. This behavior is rather unexpected. An unknown suffix should at least return a 404 status.</p> <p>Best wishes, Thomas</p> <p>P.S.: Sorry if this is in the wrong project. Not sure where to put. It seems like a routing problem and not Neos specific.</p>		
Related issues:	related to TYPO3.Neos - Bug # 54217: Using "/" as defaultUriSuffix only wor... Closed 2013-12-05		

Associated revisions

Revision eaaa9aef - 2014-02-17 13:33 - Bastian Waidelich

[!!!][BUGFIX] Only accepts URLs with the configured URI suffix

This change removes two obsolete routes and adjusts the `FrontendNodeRoutePartHandler` so that it matches the full node path.`

Background:

The route "Content with some format" accepted all URLs in the format `{node}.{@format}` which lead to duplicate content (if your default suffix is empty and the user appends ".html") and weird errors (if an arbitrary extension is added to the path, like "some/path.anything").`

Besides this change simplifies the `FrontendNodeRoutePartHandler` so that it does not ignore the splitString` option if no dot could be found in the request path.`

This is a breaking change if you relied on the fact that any format suffix is accepted by Neos.

If you provide a custom format (for example "ics") you should register a custom route for it in your package::

```
-
name: 'ICS'
uriPattern: '{node}.ics'
defaults:
  '@package': 'TYPO3.Neos'
  '@controller': 'FrontendNode'
```

```
'@action': 'show'
'@format': 'ics'
routeParts:
'node':
  handler: 'TYPO3\Neos\Routing\FrontendNodeRoutePartHandler'
```

Releases: master, 1.0

Change-Id: lea1b92b07daba69f5f76cd7ceb7b81f2d14d68a1

Fixes: #54187

Related: #54217

Related: #55492

Reviewed-on: <https://review.typo3.org/25980>

Tested-by: Bastian Waidelich

Reviewed-by: Dominique Feyer

Tested-by: Dominique Feyer

Reviewed-by: Aske Ertmann

Reviewed-by: Bastian Waidelich

Revision 7a07bcb1 - 2014-02-18 14:04 - Bastian Waidelich

[BUGFIX] Prevent exception when matching incoming context URIs

This fixes a regression that was introduced with a previous commit which resulted in an exception when logging into the backend.

Background:

A previous commit (lea1b92b07daba69f5f76cd7ceb7b81f2d14d68a1) streamlined the mapping of request paths to a node.

Unfortunately this introduced a regression that resulted in an exception being thrown whenever a context URI (containing the "@workspace" part) was matched by the homepage route.

This change fixes this by testing whether the given context path could be matched.

Change-Id: lcd3be53d5d8abd44701ccacfbdd471090b88450c

Related: #54187

Releases: master

Reviewed-on: <https://review.typo3.org/27688>

Tested-by: Bastian Waidelich

Reviewed-by: Marc Neuhaus

Tested-by: Marc Neuhaus

Reviewed-by: Bastian Waidelich

Revision 437ec25a - 2014-02-26 00:04 - Bastian Waidelich

[!!!][BUGFIX] Only accepts URLs with the configured URI suffix

This change removes two obsolete routes and adjusts the ``FrontendNodeRoutePartHandler`` so that it matches the full node path.

Background:

The route "Content with some format" accepted all URLs in the format ``{node}.{@format}`` which lead to duplicate content (if your default suffix is empty and the user appends ".html") and weird errors (if an arbitrary extension is added to the path, like "some/path.anything").

Besides this change simplifies the ``FrontendNodeRoutePartHandler`` so that it does not ignore the ``splitString`` option if no dot could be found in the request path.

This is a breaking change if you relied on the fact that any format suffix is accepted by Neos.

If you provide a custom format (for example "ics") you should register a custom route for it in your package::

```
-  
  name: 'ICS'  
  uriPattern: '{node}.ics'  
  defaults:  
    '@package': 'TYPO3.Neos'  
    '@controller': 'Frontend\Node'  
    '@action': 'show'  
    '@format': 'ics'  
  routeParts:  
    'node':  
      handler: 'TYPO3\Neos\Routing\FrontendNodeRoutePartHandler'
```

Releases: master, 1.0

Change-Id: lea1b92b07daba69f5f76cd7ceb7b81f2d14d68a1

Fixes: #54187

Related: #54217

Related: #55492

Reviewed-on: <https://review.typo3.org/27656>

Reviewed-by: Bastian Waidelich

Tested-by: Bastian Waidelich

Reviewed-by: Aske Ertmann

History

#1 - 2013-12-04 11:06 - Bastian Waidelich

- Project changed from *TYPO3.Flow* to *TYPO3.Neos*

- Status changed from *New* to *Accepted*

- Assigned To set to *Bastian Waidelich*

#2 - 2013-12-04 11:07 - Bastian Waidelich

The reason for this behavior is this route:

```
1-  
2 name: 'Content with some format'  
3 uriPattern: '{node}.{@format}'  
4 appendExceedingArguments: true
```

in **Routes.Frontend.yaml**.

Needs to be discussed

#3 - 2013-12-04 15:09 - Jan Kiesewetter

To fix this manually I loaded the

Routes.yaml from git

https://git.typo3.org/Neos/Distributions/Base.git/blob_plain/224ea64520e1f54c3e9a30e79c163e9220ee8e67:/Configuration/Routes.yaml

and put it in **neos**/Configuration/Routes.yaml

#4 - 2013-12-04 15:22 - Bastian Waidelich

Jan Kiesewetter wrote:

```
| To fix this manually I loaded the  
| Routes.yaml from git [...]
```

Jan, thanks for the feedback, but this is a different issue.

#5 - 2013-12-05 22:26 - Andreas Wolf

To me, this looks like it is related to #54217.

#6 - 2013-12-06 15:34 - Gerrit Code Review

- Status changed from Accepted to Under Review

Patch set 1 for branch **master** of project **Packages/TYPO3.Neos** has been pushed to the review server.

It is available at <https://review.typo3.org/25980>

#7 - 2013-12-07 23:14 - Gerrit Code Review

Patch set 2 for branch **master** of project **Packages/TYPO3.Neos** has been pushed to the review server.

It is available at <https://review.typo3.org/25980>

#8 - 2013-12-10 12:16 - Gerrit Code Review

Patch set 3 for branch **master** of project **Packages/TYPO3.Neos** has been pushed to the review server.

It is available at <https://review.typo3.org/25980>

#9 - 2014-02-10 10:35 - Gerrit Code Review

Patch set 4 for branch **master** of project **Packages/TYPO3.Neos** has been pushed to the review server.

It is available at <https://review.typo3.org/25980>

#10 - 2014-02-10 10:41 - Gerrit Code Review

Patch set 5 for branch **master** of project **Packages/TYPO3.Neos** has been pushed to the review server.

It is available at <https://review.typo3.org/25980>

#11 - 2014-02-17 13:33 - Gerrit Code Review

Patch set 1 for branch **1.0** of project **Packages/TYPO3.Neos** has been pushed to the review server.

It is available at <https://review.typo3.org/27656>

#12 - 2014-02-17 13:37 - Bastian Waidelich

- *Status changed from Under Review to Resolved*

- *% Done changed from 0 to 100*

Applied in changeset commit:eaaa9aef205283547df3dc0e1d7883a7fe09cd5f.

#13 - 2014-02-17 17:30 - Gerrit Code Review

- *Status changed from Resolved to Under Review*

Patch set 2 for branch **1.0** of project **Packages/TYPO3.Neos** has been pushed to the review server.

It is available at <https://review.typo3.org/27656>

#14 - 2014-02-18 14:08 - Gerrit Code Review

Patch set 3 for branch **1.0** of project **Packages/TYPO3.Neos** has been pushed to the review server.

It is available at <https://review.typo3.org/27656>

#15 - 2014-02-26 00:36 - Bastian Waidelich

- *Status changed from Under Review to Resolved*

Applied in changeset commit:437ec25a5c3ee52b836267e0bf2805b8a253a058.