TYPO3.Fluid - Feature # 54196

Status:	Resolved	Priority:	Could have
Author:	Adrian Föder	Category:	ViewHelpers
Created:	2013-12-04	Assigned To:	Adrian Föder
Updated:	2013-12-07	Due date:	
Has patch:	No		
Subject:	IfHasValidationError ViewHelper		

Description

to cope with the practice done by common CSS frameworks where a specific form field's parent element must/should have a particular error CSS class, I suggest introducing a ViewHelper which then will be used like

1<div class="row {f:form.ifHasValidationError(property: 'some.emailAddress', then: 'has-error')}"><input...></div>

Associated revisions

Revision c4d4db3a - 2013-12-04 14:40 - Adrian Föder

[FEATURE] Introduce Validation.IfHasErrors ViewHelper

This allows to check whether validation errors adhere to the current request, or if there is such an error for a particular property path.

Change-Id: I538cb1d9e25d5525784f26a5ec3346a6eb36751a

Resolves: #54196 Releases: master

Revision 49dfdbe5 - 2013-12-06 18:29 - Adrian Föder

[TASK] Move f:form.validationResults view helper to f:validation.results

Moves the validationResults ViewHelper to the ``validation`` namespace for consistency reasons.

If you use this ViewHelper you should update your Fluid templates from::

<f:form.validationResults>...</f:form.validationResults>

to::

<f:validation.results></f:validation.results>

Change-Id: I94baa5df6c5164368c327e23385afe61e5e689a1

Related: #54196 Releases: master

History

#1 - 2013-12-04 13:34 - Adrian Föder

I come up with a proposal additionally, could this go into a 'Validation' sub-namespace like

<f:form.validation.ifHasError property="some.email" />

2015-08-04 1/2

In the future, the current ValidationResults VH could be moved into that NS, too.

#2 - 2013-12-04 13:36 - Bastian Waidelich

Adrian Föder wrote:

I come up with a proposal additionally, could this go into a `Validation` sub-namespace like In the future, the current ValidationResults VH could be moved into that NS, too.

I like the idea of moving it, but it should not be in "form" IMO, but:

<f:validation.results />
<f:validation.hasErrors />

BTW: The "property" argument should be optional

#3 - 2013-12-04 13:36 - Philipp Maier

+1 That would even work without breaking anything.

#4 - 2013-12-04 13:37 - Adrian Föder

Bastian good point because when again thinking about it it's not even bound to any form; the stuff is stored in the request, so it's quite correct!

#5 - 2013-12-04 14:42 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch master of project Packages/TYPO3.Fluid has been pushed to the review server.

It is available at https://review.typo3.org/25949

#6 - 2013-12-04 16:42 - Adrian Föder

the moved validation.results ViewHelper changeset is here: https://review.typo3.org/#/c/25953/

#7 - 2013-12-07 12:36 - Adrian Föder

- Status changed from Under Review to Resolved
- % Done changed from 0 to 100

Applied in changeset commit:c4d4db3afcfb4fbc3a4b66b3c4c14813929f34df.

2015-08-04 2/2